

Page 1/10

|   | Safety data sheet   |                      |
|---|---|----------------------|
|   | according to 1907/2006/EC, Article 31   |                      |
| Printing date 23.01.2023  | Version number 59 (replaces version 58)   | Revision: 17.01.2023 |
| SECTION 1: Identification   | of the substance/mixture and of the company/undertaking   |                      |
| 1.1 Product identifier  |   |                      |
| Trade name: Cleaner and S   | Spotter   |                      |
| • Article number: 34691   |   |                      |
| 1.2 Relevant identified un<br>FOR PROFESSIONAL AND INI  | <b>ses of the substance or mixture and uses advised aga</b><br>DUSTRIAL USE ONLY<br><b>ce / the mixture</b> Cleaner solvent   | hinst                |
|   | er of the safety data sheet   |                      |
| Manufacturer/Supplier:<br>KENT (United Kingdom) Ltd<br>Forsyth House<br>Pitreavie Drive<br>Pitreavie Business Park<br>Dunfermline<br>Fife   |   |                      |
| KY11 8US  |   |                      |
|   | 136925 Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm  |                      |
| Fax: +44 1383 620079<br>SDS@kenteurope.com  |   |                      |
| 1.4 Emergency telephon  |   |                      |
| T-1 + 11 01000 700011 D.  |   |                      |
| Tel: +44 01383 723344 During r<br>SECTION 2: Hazards ident<br>· 2.1 Classification of the   |   | m - 3.00pm           |
| SECTION 2: Hazards ident  | fication  | m - 3.00pm           |
| SECTION 2: Hazards ident<br>2.1 Classification of the<br>Classification according to<br>flame<br>Aerosol 1 H222 Extrem  | fication<br>substance or mixture  | m - 3.00pm           |
| SECTION 2: Hazards ident<br>2.1 Classification of the<br>Classification according to<br>flame<br>Aerosol 1 H222 Extrem  | fication<br>substance or mixture<br>Regulation (EC) No 1272/2008<br>rely flammable aerosol.   | <i>m - 3.00pm</i>    |
| SECTION 2: Hazards ident<br>2.1 Classification of the<br>Classification according to<br>flame<br>Aerosol 1 H222 Extrem<br>H229 Pressu<br>environment  | fication<br>substance or mixture<br>o Regulation (EC) No 1272/2008<br>rely flammable aerosol.<br>rised container: May burst if heated.  | m - 3.00pm           |
| SECTION 2: Hazards ident<br>2.1 Classification of the<br>Classification according to<br>flame<br>Aerosol 1 H222 Extrem<br>H229 Pressu<br>environment  | fication<br>substance or mixture<br>Regulation (EC) No 1272/2008<br>rely flammable aerosol.   | m - 3.00pm           |
| SECTION 2: Hazards ident<br>2.1 Classification of the<br>Classification according to<br>flame<br>Aerosol 1 H222 Extrem<br>H229 Pressu<br>Aquatic Chronic 2 H411 Toxic to<br>Aquatic Chronic 2 H411 Toxic to   | fication<br>substance or mixture<br>o Regulation (EC) No 1272/2008<br>rely flammable aerosol.<br>rised container: May burst if heated.  | m - 3.00pm           |
| SECTION 2: Hazards ident<br>2.1 Classification of the<br>Classification according to<br>flame<br>Aerosol 1 H222 Extrem<br>H229 Pressu<br>Aquatic Chronic 2 H411 Toxic to<br>Skin Irrit. 2 H315 Cause  | fication<br>substance or mixture<br>Regulation (EC) No 1272/2008<br>rely flammable aerosol.<br>rised container: May burst if heated.  | m - 3.00pm           |
| SECTION 2: Hazards ident<br>2.1 Classification of the<br>Classification according to<br>flame<br>Aerosol 1 H222 Extrem<br>H229 Pressu<br>environment<br>Aquatic Chronic 2 H411 Toxic to<br>Skin Irrit. 2 H315 Cause<br>Eye Irrit. 2 H315 Cause  | ffication<br>substance or mixture<br>Regulation (EC) No 1272/2008<br>rely flammable aerosol.<br>rised container: May burst if heated.   | m - 3.00pm           |
| SECTION 2: Hazards ident<br>2.1 Classification of the<br>Classification according to<br>filame<br>Aerosol 1 H222 Extrem<br>H229 Pressu<br>Aerosol 1 H222 Extrem<br>H229 Pressu<br>environment<br>Aquatic Chronic 2 H411 Toxic to<br>Skin Irrit. 2 H315 Cause<br>Eye Irrit. 2 H319 Cause<br>STOT SE 3 H336 May cause<br>2.2 Label elements   | ffication<br>substance or mixture<br>Regulation (EC) No 1272/2008<br>ely flammable aerosol.<br>rised container: May burst if heated.  |                      |
| SECTION 2: Hazards ident<br>2.1 Classification of the<br>Classification according to<br>filame<br>Aerosol 1 H222 Extrem<br>H229 Pressu<br>Aerosol 1 H222 Extrem<br>H229 Pressu<br>Aerosol 1 H222 Extrem<br>H229 Pressu<br>Skin Irrit. 2 H315 Cause<br>Eye Irrit. 2 H315 Cause<br>Eye Irrit. 2 H319 Cause<br>STOT SE 3 H336 May cause<br>Stabel elements<br>Labelling according to Reg | fication<br>substance or mixture<br>o Regulation (EC) No 1272/2008<br>rely flammable aerosol.<br>rised container: May burst if heated.  |                      |
| SECTION 2: Hazards ident<br>2.1 Classification of the<br>Classification according to<br>filame<br>Aerosol 1 H222 Extrem<br>H229 Pressu<br>Aerosol 1 H222 Extrem<br>H229 Pressu<br>Aerosol 1 H222 Extrem<br>H229 Pressu<br>Skin Irrit. 2 H315 Cause<br>Eye Irrit. 2 H315 Cause<br>Eye Irrit. 2 H319 Cause<br>STOT SE 3 H336 May cause<br>Stabel elements<br>Labelling according to Reg | fication<br>substance or mixture<br>Regulation (EC) No 1272/2008<br>ely flammable aerosol.<br>rised container: May burst if heated.<br>o aquatic life with long lasting effects.<br>s skin irritation.<br>s serious eye irritation.<br>s serious eye irritation.<br>s drowsiness or dizziness.<br>gulation (EC) No 1272/2008 The product is classified and labelled a |                      |
| SECTION 2: Hazards ident<br>2.1 Classification of the<br>Classification according to<br>flame<br>Aerosol 1 H222 Extrem<br>H229 Pressu<br>Accord 2 H411 Toxic to<br>Aquatic Chronic 2 H411 Toxic to<br>Skin Irrit. 2 H315 Cause<br>Eye Irrit. 2 H315 Cause<br>Eye Irrit. 2 H319 Cause<br>STOT SE 3 H336 May cause<br>STOT SE 3 H336 May cause<br>Stabelling according to Reg           | fication<br>substance or mixture<br>Regulation (EC) No 1272/2008<br>ely flammable aerosol.<br>rised container: May burst if heated.<br>o aquatic life with long lasting effects.<br>s skin irritation.<br>s serious eye irritation.<br>s serious eye irritation.<br>s drowsiness or dizziness.<br>gulation (EC) No 1272/2008 The product is classified and labelled a |                      |

### Safety data sheet according to 1907/2006/EC, Article 31

according to 1907/2000/EC, Article 31

Printing date 23.01.2023

Trade name: Cleaner and Spotter

Version number 59 (replaces version 58)

Revision: 17.01.2023

#### (Contd. of page 1) Hazard-determining components of labelling: Hydrocarbons, C7, n-alkanes isoalkanes, cyclic Hazard statements H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P261 Avoid breathing mist/vapours/spray. Wear protective gloves / eye protection. P280 P302+P352 IF ON SKIN: Wash with plenty of soap and water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 Get immediate medical advice/attention. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local/regional/national/international regulations. P501 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable.

• **vPvB:** Not applicable.

#### **SECTION 3: Composition/information on ingredients**

#### <sup>•</sup> 3.2 Mixtures

· Description: Mixture of the substances listed below with harmless additions.

| · Dangerous components               | S:  |          |
|--------------------------------------|---|----------|
| CAS: 68476-85-7<br>EINECS: 270-704-2 | Petroleum gases, liquefied (contains less than 0.1 % w/w 1,3-butadiene (EINECS No 203-450-8)).                  | _ 50-75% |
|                                      | Flam. Gas 1A, H220; Press. Gas (Comp.), H280  |          |
| EC number: 927-510-4                 | Hydrocarbons, C7, n-alkanes isoalkanes, cyclic  | 25-50%   |
| Reg.nr.: 01-2119475515-33            | ∲ Flam. Liq. 2, H225; ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315;<br>STOT SE 3, H336 |          |
| CAS: 67-63-0                         | Propan-2-ol   | 5-10%    |
| EINECS: 200-661-7                    | 🚸 Flam. Liq. 2, H225; 🕔 Eye Irrit. 2, H319; STOT SE 3, H336   | -        |
| Reg.nr.: 01-2119457558-25            |   |          |
| CAS: 67-64-1                         | Acetone   | 0-10%    |
| EINECS: 200-662-2                    |   | -        |
| Reg.nr.: 01-2119471330-49            |   |          |
| · Regulation (EC) No 648             | /2004 on detergents / Labelling for contents  |          |
| Aliphatic hydrocarbons               |   | ≥30%     |
| Additional information               | For the wording of the listed hazard phrases refer to section 16.   |          |

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

After inhalation

Take affected persons into the open air and position comfortably

In case of unconsciousness bring patient into stable side position for transport.

- After skin contact If skin irritation continues, consult a doctor.
- After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- After swallowing Rinse out mouth.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

GB

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

#### Version number 59 (replaces version 58)

Revision: 17.01.2023

#### Trade name: Cleaner and Spotter

(Contd. of page 2)

#### SECTION 5: Firefighting measures

5.1 Extinguishing media

 Suitable extinguishing agents Use fire fighting measures that suit the environment.
 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Carbon monoxide and carbon dioxide

### 5.3 Advice for firefighters

Protective equipment: Do not inhale explosion gases or combustion gases. Wear self-contained breathing apparatus.

#### Additional information

Cool endangered containers with water spray jet. Collect contaminated fire fighting water separately. It must not enter drains.

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation Keep away from ignition sources

Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

#### Inform respective authorities in case product reaches water or sewage system.

6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable containers. Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

#### SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep away from heat and direct sunlight.

#### Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on flames or red-hot objects.

#### 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- Requirements to be met by storerooms and containers: Store in cool location.

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Protect from heat and direct sunlight. Store container in a well ventilated position.

5-35°C

Storage class 2 B

• 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

GB

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023

#### Version number 59 (replaces version 58)

Revision: 17.01.2023

#### Trade name: Cleaner and Spotter

(Contd. of page 3)

|                                    | ntrol parameters   | hat require monitoring at the workplace:  |  |  |
|------------------------------------|--|---|--|--|
|                                    |  | ied (contains less than 0.1 % w/w 1,3-butadiene (EINECS No 203-450-8)).                   |  |  |
|                                    | ort-term value: 2180 mg/m <sup>3</sup> ,                       | · · · · · · · · · · · · · · · · · · ·   |  |  |
|                                    | ng-term value: 1750 mg/m³, 1                                   |   |  |  |
| Ca                                 | rc (if LPG contains > 0.1% o                                   |   |  |  |
|                                    | Propan-2-ol  |   |  |  |
|                                    | ort-term value: 1250 mg/m³,                                    |   |  |  |
| 67-64-1 A                          | ng-term value: 999 mg/m³, 40                                   | ou ppm  |  |  |
|                                    | ort-term value: 3620 mg/m³,                                    | 1500 ppm  |  |  |
|                                    | ng-term value: 1210 mg/m³, 3                                   |   |  |  |
|                                    | tory information WEL: EF                                       |   |  |  |
| DNELs                              | ,  |   |  |  |
|                                    | rbons, C7, n-alkanes isoall                                    | kanes. cvclic   |  |  |
| Oral                               |  | 149 mg/kg bw/day (Consumer)   |  |  |
| Dermal                             |  | 149 mg/kg/day (Consumer)  |  |  |
|                                    |  | 300 mg/kg/day (Worker)  |  |  |
| Inhalative                         | e Long term systemic effect                                    | 447 mg/m³ (Consumer)  |  |  |
|                                    |  | 2,085 mg/m3 (Worker)  |  |  |
| 67-63-0 F                          | Propan-2-ol  |   |  |  |
| Oral                               |  | 26 mg/kg/day (Consumer)   |  |  |
| Dermal                             | Long term systemic effect                                      | 319 mg/kg/day (Consumer)  |  |  |
|                                    |  | 888 mg/kg bw/day (Worker)   |  |  |
| Inhalative                         | e Long term systemic effect                                    | - , ,   |  |  |
|                                    |  | 500 mg/m3 (Worker)  |  |  |
| 67-64-1                            |  |   |  |  |
| Dermal                             |  | 186 mg/kg bw/day (Worker)   |  |  |
| Innalative                         | e Long term systemic effect<br>Acute local effect              |   |  |  |
|                                    | Acule Iocal effect   | 2,420 mg/m3 (Worker)  |  |  |
| PNECs                              |  |   |  |  |
|                                    | Propan-2-ol  |   |  |  |
|                                    | 40.9 mg/l (Aqua (freshwater)                                   |   |  |  |
|                                    | 40.9 mg/l (Aqua (intermittent)<br>40.9 mg/l (Aqua (marine wate |   |  |  |
|                                    | 52 mg/kg (Freshwater sedim                                     |   |  |  |
|                                    |  | •   |  |  |
|                                    |  | ? mg/kg (Marine water sediment)<br>51 mg/l (Sewage treatment plant) (Assessment factor 1) |  |  |
|                                    | 8 mg/kg (Soil)   |   |  |  |
| 67-64-1                            |  |   |  |  |
|                                    | 0.6 mg/l (Aqua (freshwater))                                   |   |  |  |
| 21 mg/l (Aqua (intermittent))      |  |   |  |  |
| 1.06 mg/l (Aqua (marine water))    |  | r))   |  |  |
|                                    | 0.4 mg/kg (Freshwater sedin                                    |   |  |  |
| 3.04 mg/kg (Marine water sediment) |  |   |  |  |
| 2                                  | 9.5 mg/kg (Soil)   |   |  |  |
| Additio                            | nal information: The lists                                     | that were valid during the compilation were used as basis.                                |  |  |
|                                    | oosure controls  |   |  |  |
|                                    |  | <b>DIS</b> No further data; see item 7.   |  |  |
|                                    |  | · · · · · · · · · · · · · · · · · · ·   |  |  |

Take off immediately all contaminated clothing Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin.

(Contd. on page 5) GB

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 59 (replaces version 58)

Revision: 17.01.2023

#### Trade name: Cleaner and Spotter

(Contd. of page 4) Breathing equipment: Only during spraying without adequate removal by suction. Filter AX (EN 14387) Hand protection Protective gloves. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves Wear suitable gloves tested to EN 374 Nitrile rubber, NBR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material Value for the permeation: Level 6 > 480 minutes The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye/face protection Safety glasses (EN 166) Tightly sealed safety glasses. (EN 166) Body protection: Protective work clothing (EN-13034/6) **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties · General Information · Physical state Aerosol · Colour: Colourless · Odour: Characteristic · Odour threshold: Not determined. • Melting point/freezing point: Not determined Boiling point or initial boiling point and boiling range Not applicable, as aerosol · Flammability Not applicable.

Not determined.

Not determined.

Not determined.

Not determined.

Not determined.

Not determined

Not determined.

Not determined

Not determined.

0.720 g/cm3

Fluid

Not applicable, as aerosol

Mixture is non-soluble (in water).

Not miscible / difficult to mix

- Lower and upper explosion limit
- · Lower:
- · Upper:
- · Flash point:
- · Decomposition temperature:
- · pH
- · Viscosity:
- · Kinematic viscosity
- dynamic:
- Solubility
- Water:
- Partition coefficient n-octanol/water (log value)
- Vapour pressure:
  Density and/or relative density
- Density
- Relative density at 25 °C
- · Vapour density

#### 9.2 Other information

- · Appearance:
- Form:

(Contd. on page 6)

GB

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 59 (replaces version 58)

Revision: 17.01.2023

#### Trade name: Cleaner and Spotter

|   | (Contd. of page   |
|---|---|
| Important information on protection of health a | nd  |
| environment, and on safety.                     |   |
| Self-inflammability:                            | Product is not selfigniting.  |
| Explosive properties:                           | Not determined.   |
| Solvent content:                                |   |
| Organic solvents:                               | 615 q/l VOC   |
| Change in condition                             | 5   |
| Evaporation rate                                | Not applicable.   |
| Information with regard to physical hazard clas | ;ses  |
| Explosives                                      | Void  |
| Flammable gases                                 | Void  |
| Aerosols  | Extremely flammable aerosol. Pressurised container: May burst if<br>heated. |
| Oxidising gases                                 | Void  |
| Gases under pressure                            | Void  |
| Flammable liquids                               | Void  |
| Flammable solids                                | Void  |
| Self-reactive substances and mixtures           | Void  |
| Pyrophoric liquids                              | Void  |
| Pyrophoric solids                               | Void  |
| Self-heating substances and mixtures            | Void  |
| Substances and mixtures, which emit flammab     | le gases  |
| in contact with water                           | Void  |
| Oxidising liquids                               | Void  |
| Oxidising solids                                | Void  |
| Organic peroxides                               | Void  |
| Corrosive to metals                             | Void  |
| Desensitised explosives                         | Void  |

#### SECTION 10: Stability and reactivity

. 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- \* 10.3 Possibility of hazardous reactions No dangerous reactions known
- **10.4 Conditions to avoid** Heat. Hot surfaces. Sources of ignition. Flames.

\* 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

Formation of toxic gases is possible during heating or in case of fire. Carbon monoxide and carbon dioxide

#### SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

| • Acute toxicity Based on available data, the classification criteria are not met. |  |
|--|--|
|--|--|

| · LD/LC50  | LD/LC50 values that are relevant for classification: |                       |  |
|------------|--|-----------------------|--|
| Hydrocar   | Hydrocarbons, C7, n-alkanes isoalkanes, cyclic       |                       |  |
| Inhalative | Inhalative LC50 (4 hr) >23 mg/l (Rat)                |                       |  |
|            | IC50   | <10 (Algae)           |  |
| 67-63-0 P  | 67-63-0 Propan-2-ol                                  |                       |  |
| Oral       | LD50   | 5,840 mg/kg (Rat)     |  |
| Dermal     | LD50   | 13,400 mg/kg (Rabbit) |  |
| 67-64-1 A  | 67-64-1 Acetone                                      |                       |  |
| Oral       | LD50   | 5,800 mg/kg (Rat)     |  |
| Dermal     | LD50   | 20,000 mg/kg (Rabbit) |  |
| · Skin co  | Skin corrosion/irritation Causes skin irritation     |                       |  |

Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation Causes serious eye irritation.

· STOT-single exposure May cause drowsiness or dizziness.

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

#### Version number 59 (replaces version 58)

Revision: 17.01.2023

(Contd. of page 6)

Trade name: Cleaner and Spotter

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

#### SECTION 12: Ecological information

#### 12.1 Toxicity

| -                        |  |  |  |
|--------------------------|--|--|--|
| Aquatic toxici           | ty:  |  |  |
| 68476-85-7 Petr          | oleum gases, liquefied (contains less than 0.1 % w/w 1,3-butadiene (EINECS No 203-450-8)).             |  |  |
| EC50 (96 hr)             | 12.32 mg/l (Algae) ((Q)SAR calculation method)   |  |  |
| LC50 (48 hr)             | 69.43 mg/l (Daphnia magna) ((Q)SAR calculation method)   |  |  |
| LC50 (96 hr)             | 50 (96 hr) 49.47 mg/l (Fish) ((Q)SAR calulation method)  |  |  |
| Hydrocarbons,            | C7, n-alkanes isoalkanes, cyclic   |  |  |
| EC50 (48 hr)             | 3 mg/l (Daphnia magna)   |  |  |
| LC50 (96 hr)             | <10 mg/l (Fish)  |  |  |
|                          | >13.4 mg/l (Oncorhynchus mykiss)   |  |  |
| NOEC                     | 1.53 mg/l (Oncorhynchus mykiss) (28 days)  |  |  |
| NOEC (21 days)           | 1 mg/l (Daphnia magna)   |  |  |
| 67-63-0 Propan-          | 2-0/   |  |  |
| EC50 (48 hr)             | 13,299 mg/l (Daphnia magna)  |  |  |
| LC50 (24 hr)             | 9,714 mg/l (Daphnia magna)   |  |  |
| LC50 (96 hr)             | 4,200 mg/l (FSH) (dynamic)   |  |  |
|                          | 9,640 mg/l (Pimephales promelas)   |  |  |
| LOEC (8 days)            | 1,000 mg/l (Algae)   |  |  |
| 67-64-1 Acetone          | )  |  |  |
| EC50                     | 61,150 mg/l (Activated sludge) (30 mins)   |  |  |
| EC50 (48 hr)             | 39 mg/l (Daphnia magna)  |  |  |
| LC50 (96 hr)             | 8,300 mg/l (Fish)  |  |  |
|                          | 5,540 mg/l (Oncorhynchus mykiss)   |  |  |
| NOEC (28 days)           | 2,212 mg/l (Daphnia magna)   |  |  |
| 12.2 Persiste            | nce and degradability Biodegradable  |  |  |
|                          | mulative potential Does not accumulate in organisms  |  |  |
|                          | in soil No further relevant information available.   |  |  |
|                          | of PBT and vPvB assessment   |  |  |
| · <b>PBT:</b> Not applic | able.  |  |  |
| vPvB: Not appli          |  |  |  |
| · 12 6 Endocri           | no disrupting properties. The product doop not contain substances with endoering disrupting properties |  |  |

• 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

· Remark: Toxic for fish

- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

#### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

GB

# **Safety data sheet** according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 59 (replaces version 58)

Revision: 17.01.2023

Trade name: Cleaner and Spotter

|  | (Contd. of pa  |
|--|--|
| SECTION 14: Transport information  |  |
| 14.1 UN number or ID number<br>ADR, IMDG, IATA   | UN1950   |
| 14.2 UN proper shipping name<br>ADR<br>IMDG<br>IATA  | 1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS<br>AEROSOLS, MARINE POLLUTANT<br>AEROSOLS, flammable  |
| 14.3 Transport hazard class(es)  |  |
| ADR  |  |
| Class<br>Label   | 2 5F Gases.<br>2.1   |
| IMDG   |  |
| Class<br>Label   | 2.1 Gases.<br>2.1  |
| Class<br>Label   | 2.1 Gases.<br>2.1  |
| 14.4 Packing group   |  |
| ADR, IMDG, IĂŤA  | Void   |
| 14.5 Environmental hazards:<br>Marine pollutant:<br>Special marking (ADR):                             | Product contains environmentally hazardous substances: Hydrocarbor<br>C7, n-alkanes isoalkanes, cyclic<br>Symbol (fish and tree)<br>Symbol (fish and tree)   |
| 14.6 Special precautions for user<br>Kemler Number:<br>EMS Number:<br>Stowage Code<br>Segregation Code | Warning: Gases.<br>-<br>F-D,S-U<br>SW1 Protected from sources of heat.<br>SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A<br>For AEROSOLS with a capacity above 1 litre: Category B. For WASTE<br>AEROSOLS: Category C, Clear of living quarters.<br>SG69 For AEROSOLS with a maximum capacity of 1 litre:<br>Segregation as for class 9. Stow "separated from" class 1 except for<br>division 1.4.<br>For AEROSOLS with a capacity above 1 litre:<br>Segregation as for the appropriate subdivision of class 2.<br>For WASTE AEROSOLS:<br>Segregation as for the appropriate subdivision of class 2. |
| 14.7 Maritime transport in bulk according instruments  |  |

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 59 (replaces version 58)

Revision: 17.01.2023

Trade name: Cleaner and Spotter

|                                     | (Contd. of page 8)                               |
|-------------------------------------|--|
| · Transport/Additional information: |  |
| ADR                                 |  |
| · Limited quantities (LQ)           | 1L   |
| Excepted quantities (EQ)            | Code: E0   |
|                                     | Not permitted as Excepted Quantity               |
| · Transport category                | 2  |
| Tunnel restriction code             | D  |
| ·IMDG                               |  |
| · Limited quantities (LQ)           | 1L   |
| Excepted quantities (EQ)            | Code: E0   |
| ,                                   | Not permitted as Excepted Quantity               |
| · UN "Model Regulation":            | UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS |

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category
- P3a FLAMMABLE AEROSOLS
- E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations
- Technical instructions (air):

Class Share in %

NK 15.0

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

· Department issuing data specification sheet: Environment protection department

#### Abbreviations and acronyms:

RID: (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

- ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association

- IA IA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) L C50: Lettal concentration, 50 nervent
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases Category 1A
- Aerosol 1: Aerosols Category 1

(Contd. of page 9)

GB

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 59 (replaces version 58)

Revision: 17.01.2023

#### Trade name: Cleaner and Spotter

: Aerosols – Category 3 Press. Gas (Comp.): Gases under pressure – Compressed gas Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 **Data compared to the provinus version altered.** \*

· Data compared to the previous version altered. \*