

Page 1/9

Revision: 17.01.2023

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 8 (replaces version 7)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: SPRAY BLUE GREASE
- · Article number: 34946
- 1.2 Relevant identified uses of the substance or mixture and uses advised against FOR PROFESSIONAL AND INDUSTRIAL USE ONLY
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

KENT (United Kingdom) Ltd

Forsyth House

Pitreavie Drive

Pitreavie Business Park

Dunfermline

Fife KY11 8US

Tel: +44 01383 723344 / 0800 136925 Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

Fax: +44 1383 620079 SDS@kenteurope.com

1.4 Emergency telephone number:

Tel: +44 01383 723344 During normal office hours - Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Aerosol 1

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2

H315 Causes skin irritation.

STOT SE 3

H336 May cause drowsiness or dizziness.

2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms







GHS02

GHS07

GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:

Hydrocarbons, C6, isoalkanes, <5% n-hexane

· Hazard statements

H222 Extremely flammable aerosol.

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 8 (replaces version 7) Revision: 17.01.2023

Trade name: SPRAY BLUE GREASE

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.
P220 Keep away from clothing and other combustible materials.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing spray.

P280 Wear protective gloves / eye protection.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Buildup of explosive mixtures possible without sufficient ventilation.

2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

· Description: Mixture of the substances listed below with harmless additions.

Dangerous components:		
CAS: 106-97-8 EINECS: 203-448-7	butane ② Flam. Gas 1A, H220	25-50%
EC number: 931-254-9 Reg.nr.: 01-2119484651-34	Hydrocarbons, C6, isoalkanes, <5% n-hexane ♦ Flam. Liq. 2, H225; ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; STOT SE 3, H336	25-50%
EINECS: 230-528-9	(Z)-N-9-octadecenylpropane-1,3-diamine ♦ STOT RE 1, H372; ♦ Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ↑ Acute Tox. 4, H302	<1%

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

• After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· After swallowing

Rinse out mouth.

Do not induce vomiting; instantly call for medical help.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire fighting measures that suit the environment.

CO2, extinguishing powder or water haze. Fight larger fires with water haze or alcohol-resistant foam.

· For safety reasons unsuitable extinguishing agents Water with a full water jet.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Can form explosive gas-air mixtures.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 8 (replaces version 7) Revision: 17.01.2023

Trade name: SPRAY BLUE GREASE

(Contd. of page 2)

5.3 Advice for firefighters

Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained breathing apparatus.

· Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Particular danger of slipping on leaked / spilled product.

6.2 Environmental precautions: Inform respective authorities in case product reaches water or sewage system.

6.3 Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on flames or red-hot objects.

7.2 Conditions for safe storage, including any incompatibilities

· Storage

Requirements to be met by storerooms and containers:

Observe official regulations on storing packagings with pressurised containers.

Store in cool location.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from heat and direct sunlight.
- Storage class 2 B
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

	DNELs			
	Hydrocarbons, C6, isoalkanes, <5% n-hexane			
	Dermal	Long term systemic effect	13,694 mg/kg bw/d (Worker)	
	Inhalative	Long term systemic effect	5,306 mg/m³ (Worker)	
	7173-62-8 (Z)-N-9-octadecenylpropane-1,3-diamine			
	Dermal	Long term systemic effect	0.01 mg/kg bw/d (Worker)	
l	Inhalative	Long term systemic effect	0.035 mg/m3 (Worker)	
Ī	PNECs			
7472 62 9 /7\ N 0 aptedaganylnyanana 4 2 diamina		one 4.2 diamine		

7173-62-8 (Z)-N-9-octadecenylpropane-1,3-diamine

PNEC | 0.01 mg/l (Aqua (freshwater))

0.001 mg/l (Aqua (marine water))

1.72 mg/kg (Freshwater sediment)

0.172 mg/kg (Marine water sediment)

0.251 mg/l (Sewage treatment plant)

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 8 (replaces version 7) Revision: 17.01.2023

Trade name: SPRAY BLUE GREASE

(Contd. of page 3)

10 mg/kg (Soil)

Additional information: The lists that were valid during the compilation were used as basis.

*8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Breathing equipment:

Only during spraying without adequate removal by suction.

Filter AX (EN 14387)

Hand protection



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Wear suitable gloves tested to EN 374

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Aerosol

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Value for the permeation: Level 6 > 480 minutes

Eye/face protection



Safety glasses (EN 166)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

· Physical state · Colour: Blue · Odour: Characteristic Odour threshold: Not determined. Melting point/freezing point: Not determined

Boiling point or initial boiling point and boiling range

Not applicable, as aerosol Not applicable.

· Flammability Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

Flash point: Not applicable, as aerosol

 Decomposition temperature: Not determined.

·pH Mixture is non-soluble (in water).

Viscosity:

Kinematic viscosity Not determined. dynamic: Not determined.

Solubility

Water: Not miscible / difficult to mix

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 8 (replaces version 7) Revision: 17.01.2023

Trade name: SPRAY BLUE GREASE

	(Contd. of page
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined. Not determined.
Density and/or relative density	Not determined.
Density Density	Not determined
Relative density at 20 °C	0.748
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Aerosol
Important information on protection of health and	A6/030/
environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Not determined.
Solvent content:	Not determined.
Organic solvents:	445 g/l VOC
Change in condition	440 g/1 VOC
Evaporation rate	Not applicable.
•	Not approunte.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Extremely flammable aerosol. Pressurised container: May burst if heated.
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable ga	ases
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- * 10.4 Conditions to avoid Heat. Hot surfaces. Sources of ignition. Flames.
- 10.5 Incompatible materials:

Acids Alkalis

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:			
106-97-8	106-97-8 butane		
Inhalative	LC50 (4 hr)	658 mg/l (Rat)	
	ErC 50	19.37 mg/l (Algae) (96 hr)	

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 8 (replaces version 7) Revision: 17.01.2023

Trade name: SPRAY BLUE GREASE

Hydroca	rbons, C6, is	coalkanes, <5% n-hexane (Contd. of page 5)	
Dermal	LD50	>3,350 mg/kg (Rabbit)	
	ErC 50	30 mg/l (Algae)	
7173-62-	7173-62-8 (Z)-N-9-octadecenylpropane-1,3-diamine		
Oral	LD50	500-1,000 mg/kg (Rat)	
Ckin		totion Courses aldin imitation	

- Skin corrosion/irritation Causes skin irritation.
- · STOT-single exposure May cause drowsiness or dizziness.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

12.1 TOXICILY			
· Aquatic toxicity:			
106-97-8 butane	106-97-8 butane		
EC50 (48 hr) 69.43 mg/l (Daphnia magna)			
LC50 (96 hr)	49.9 mg/l (Fish)		
Hydrocarbons,	Hydrocarbons, C6, isoalkanes, <5% n-hexane		
EbL50	2.6 mg/l (Pseudokirchneriella subcapitata) (OECD 201)		
EC50 3.87 mg/l (Daphnia magna)			
EL50 (48 hr)	31.9 mg/l (Daphnia magna) (OECD 202)		
LC50	LC50 >1,000 ug/l (Fish)		
LL50 (96 hr) 18.27 mg/l (Oncorhynchus mykiss) (OECD 203)			
NOEC (21 days) 7.1381 mg/l (Daphnia magna) (QSAR)			
NOELR	4.089 mg/l (Oncorhynchus mykiss) (QSAR 28 days)		
	30 mg/l (Pseudokirchneriella subcapitata) (OECD 201)		
7173-62-8 (Z)-N-	9-octadecenylpropane-1,3-diamine		
NOEC (21 days)	NOEC (21 days) 0.013 mg/l (Daphnia magna) (OECD 211)		

- TOLO (21 days) 0.013 mg/ (Daprilla magna) (OLOD 211)
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

- GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 8 (replaces version 7) Revision: 17.01.2023

Trade name: SPRAY BLUE GREASE

(Contd. of page 6)

14.1 UN number or ID number	
ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name	
ADR	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS
IMDG	AEROSOLS
IATA	AEROSOLS, flammable
14.3 Transport hazard class(es)	
•	
ADR	
Class	2 5F Gases.
Label	2.1
IMDG	
School Sc	2.4. Coope
Class Label	2.1 Gases. 2.1
IATA	Z. I
Class Label	2.1 Gases. 2.1
	2.1
14.4 Packing group	Maid.
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Product contains environmentally hazardous substances: Hydrocarbons C6, isoalkanes, <5% n-hexane
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Gases.
Kemler Number:	-
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
-	SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2.
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of along 9
	Segregation as for the appropriate subdivision of class 2.
14.7 Maritime transport in bulk according	

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 8 (replaces version 7) Revision: 17.01.2023

Trade name: SPRAY BLUE GREASE

	(Contd. of page 7)
· Transport/Additional information:	
· ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
, , , , ,	Not permitted as Excepted Quantity
· Transport category	2
Tunnel restriction code	D
· IMDG	
· Limited quantities (LQ)	1L
Excepted quantities (ÉQ)	Code: E0
	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category

P3a FLAMMABLE AEROSOLS

E2 Hazardous to the Aquatic Environment

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations
- · Technical instructions (air):

Class	Share in %
NK	26.0

- Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship

· Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Department issuing data specification sheet: Environment protection department

Abbreviations and acronyms:

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 9)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 8 (replaces version 7) Revision: 17.01.2023

Trade name: SPRAY BLUE GREASE

vPvB: very Persistent and very Bioaccumulative
Flam. Gas 1A: Flammable gases – Category 1A
Aerosol 1: Aerosols – Category 1
: Aerosols – Category 3
Flam. Liq. 2: Flammable liquids – Category 2
Met. Corr. 1: Corrosive to metals – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Data compared to the previous version altered.

Data compared to the previous version altered. *

(Contd. of page 8)