

Page 1/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 36 (replaces version 35)

Revision: 17.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: <u>Dashboard Wipes</u>

· Article number: 83223

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** FOR PROFESSIONAL AND INDUSTRIAL USE ONLY
- · Application of the substance / the mixture Surface cleanser

1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: KENT (United Kingdom) Ltd Forsyth House Pitreavie Drive Pitreavie Business Park Dunfermline Fife KY11 8US

Tel: +44 01383 723344 / 0800 136925 Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm Fax: +44 1383 620079 SDS@kenteurope.com

1.4 Emergency telephone number:

Tel: +44 01383 723344 During normal office hours - Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.

2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · Additional information:
- Safety data sheet available on request.

[•] 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

[•] 3.2 Mixtures

· Description: Mixture of the substances listed below with harmless additions.

· Dangerous components:

Dungerous components.			
CAS: 67-63-0 EINECS: 200-661-7	Propan-2-ol	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336	5-10%
Reg.nr.: 01-2119457558-25			
· Regulation (EC) No 648	/2004 on detergents / Labellin	g for contents	
preservation agents ≥15 - <30		5 - <30%	
ISOPROPYL ALCOHOL ≥5		- <15%	
Perfumes, Cationic surfacta	nts, METHYLISOTHIAZOLINONE, I	BENZISOTHIAZOLINONE <59	%
		(Contd	. on page 2

GB -

Safety data sheet according to 1907/2006/EC, Article 31

according to 1901/2000/EC, Article Si

Printing date 23.01.2023

Version number 36 (replaces version 35)

Revision: 17.01.2023

Trade name: Dashboard Wipes

• Additional information For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 1)

SECTION 4: First aid measures

[•] 4.1 Description of first aid measures

· After inhalation Supply fresh air; consult doctor in case of symptoms.

· After skin contact

Instantly wash with water and soap and rinse thoroughly. Generally the product is not skin irritating.

After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing In case of persistent symptoms consult doctor.

[•] 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

[•] 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

Dilute with much water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special measures required.

Information about protection against explosions and fires: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

· Storage

• Requirements to be met by storerooms and containers: Store in cool location.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Store in cool, dry conditions in well sealed containers.

Storage class 12

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

[•] 8.1 Control parameters

Components with limit values that require monitoring at the workplace:

67-63-0 Propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm

Long-term value: 999 mg/m³, 400 ppm

Regulatory information WEL: EH40/2020

(Contd. on page 3)

βB

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 36 (replaces version 35)

Revision: 17.01.2023

Trade name: Dashboard Wipes

Oral	ropan-2-ol Long term svstemic effect	26 mg/kg/day (Consumer)	
Dermal		319 mg/kg/day (Consumer)	
	0 ,	888 mg/kg bw/day (Worker)	
Inhalative	Long term systemic effect	89 mg/m ³ (Consumer)	
		500 mg/m3 (Worker)	
PNECs	·		
67-63-0 P	ropan-2-ol		
PNEC 14	0.9 mg/l (Aqua (freshwater))	
140.9 mg/l (Aqua (intermittent))			
14	140.9 mg/l (Aqua (marine water)) 552 mg/kg (Freshwater sediment)		
55			
552 mg/kg (Marine water sediment)			
2,2	2,251 mg/l (Sewage treatment plant) (Assessment factor 1)		
28 mg/kg (Soil)			
Addition	al information: The lists	that were valid during the compilation were used as basis.	
		···· ··· ··· ··· ··· ··· ··· ··· ··· ·	
	osure controls	DIS No further data; see item 7.	
		s, such as personal protective equipment	
		c measures Wash hands during breaks and at the end of the work.	
Ochiciai		sary if room is well-ventilated.	
	g cquipilent. Not neccos		

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: Level 6 > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Safety glasses (EN 166)

Body protection: Protective work clothing (EN-13034/6)

• 9.1 Information on basic physical and chemical p • General Information	roperties	
· Physical state	Fluid	
· Colour:	Colourless	
· Odour:	Mild	
· Odour threshold:	Not determined.	
· Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and boiling range	Not determined	
Flammability	Not applicable.	

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 36 (replaces version 35)

Revision: 17.01.2023

Trade name: Dashboard Wipes

	(Contd. of page 3
· Lower and upper explosion limit	
·Lower:	Not determined.
· Upper:	Not determined.
Flash point:	Not applicable
Ignition temperature:	425 °C
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
· dynamic:	Not determined.
Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
Density and/or relative density	Not determined.
Density	Not determined
Relative density	Not determined
· Vapour density at 20 °C	Not determined.
	23 hPa
9.2 Other information	
· Appearance:	
· Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
Solvent content:	·····
· Organic solvents:	90G/L VOC
[·] Change in condition	
Evaporation rate	Not determined.
•	
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gas	
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

* 10.4 Conditions to avoid No further relevant information available.

* 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5) ĠВ

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 36 (replaces version 35)

Revision: 17.01.2023

Trade name: Dashboard Wipes

10.6 Hazardous decomposition products: No dangerous decomposition products known

(Contd. of page 4)

List II

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Based on available data, the classification criteria are not met.

Acute toxicity based on available data, the classification chiena				
LD/LC50 values that are relevant for classification:				
67-63-0 P	Propan-2-ol			
Oral	LD50	5,840 mg/kg (Rat)		
Dermal	LD50	13,400 mg/kg (Rabbit)		
71-36-3 Butan-1-ol				
Oral	LD50	790 mg/kg (Rat)		
Dermal	LD50	3,400 mg/kg (Rabbit)		
Inhalative	LC50 (4 hr)	24.3 mg/l (Rat)		

Skin corrosion/irritation Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

SECTION 12: Ecological information 12.1 Toxicity · Aquatic toxicity: 67-63-0 Propan-2-ol EC50 (48 hr) 13,299 mg/l (Daphnia magna) LC50 (24 hr) 9,714 mg/l (Daphnia magna) LC50 (96 hr) 4,200 mg/l (FSH) (dynamic) 9,640 mg/l (Pimephales promelas) LOEC (8 days) 1,000 mg/l (Algae) 71-36-3 Butan-1-ol CE10 (16 hr) 2,250 mg/l (Pseudomonas Putida) CE50 (5 mins) 2,041 mg/l (Photobacterium phosphoreum) (Bacteria: Microtox Text) 12.2 Persistence and degradability No further relevant information available. * 12.3 Bioaccumulative potential No further relevant information available. [•] **12.4 Mobility in soil** No further relevant information available. 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable • 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11. 12.7 Other adverse effects · Additional ecological information:

- · General notes:
- Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water bodies or sewage system.
- Danger to drinking water if even small quantities leak into soil.

(Contd. on page 6)

GB

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 36 (replaces version 35)

Revision: 17.01.2023

Trade name: Dashboard Wipes

(Contd. of page 5)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed with household waste.

• Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

• 14.1 UN number or ID number • ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
[•] 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
[•] 14.5 Environmental hazards: • Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
[•] 14.7 Maritime transport in bulk according instruments	to IMO Not applicable.	
• Transport/Additional information:	Not dangerous according to the above specifications.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations

• Technical instructions (air):

Class	Share in %
Wasser	10.0
NK	9.6

· Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.

* 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Department issuing data specification sheet: Environment protection department

Abbreviations and acronyms:

RID: (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road)

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 36 (replaces version 35)

Revision: 17.01.2023

(Contd. of page 6)

GB

Trade name: Dashboard Wipes

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LCS0: Lethal concentration, 50 percent
DBT: Persistent, Bioaccumulative and Toxic
VPVB: very Persistent and very Bioaccumulative
Fiam. Liq. 2: Flammable liquids – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Data compared to the previous version altered. *