

Page 1/7


Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 8 (replaces version 7)

Revision: 17.01.2023



according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 8 (replaces version 7)

Revision: 17.01.2023

Trade name: Wash Primer

		(Contd. of page 1)		
	e drowsiness or dizziness.			
Precautionar				
P210 P243	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take action to prevent static discharges.			
P260	Do not breathe vapours.			
	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower] 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and ea Continue rinsing.			
P403+P233 P501	Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international regulations.			
· Labelling of	packages where the contents do not exceed 125 ml			
Hazard picto				
	HS07			
[·] Signal word	Danger			
• Hazard-deter Propan-2-ol	mining components of labelling:			
Hazard state	ments Void			
2.3 Other ha	2.3 Other hazards			
· Results of Pl	3T and vPvB assessment			
· PBT: Not appli				
· vPvB: Not app				
SECTION 3:	Composition/information on ingredients			

[•] 3.1 Substances

- CAS No. Designation:
- 67-63-0 Propan-2-ol
- Identification number(s):
- · EC number: 200-661-7
- · Index number: 603-117-00-0

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact Instantly rinse with water.
- After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing agents CO2, extinguishing powder or water haze. Fight larger fires with water haze or alcohol-resistant foam. • 5.2 Special hazards arising from the substance or mixture Formation of poisonous gases during heating or in fires.
- 5.3 Advice for firefighters
- Protective equipment: Put on breathing apparatus.

SECTION 6: Accidental release measures

• **6.1 Personal precautions, protective equipment and emergency procedures** *Put on breathing apparatus.*

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 8 (replaces version 7)

Trade name: Wash Primer

Revision: 17.01.2023

(Contd. of page 2) Wear protective equipment. Keep unprotected persons away. 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars. Dilute with much water. 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal. SECTION 7: Handling and storage 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- Keep breathing equipment ready.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility: Not required.
- *Further information about storage conditions:*
- Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Storage class 3

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

67-63-0 F	Propan-2-ol					
WEL Sho	EL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm					
Regulat	tory information WEL: EF	140/2020				
DNELs						
67-63-0 F	Propan-2-ol					
Oral	Long term systemic effect	26 mg/kg/day (Consumer)				
Dermal	Long term systemic effect	319 mg/kg/day (Consumer)				
		888 mg/kg bw/day (Worker)				
Inhalative	Long term systemic effect	89 mg/m ³ (Consumer)				
		500 mg/m3 (Worker)				
PNECs	·					
67-63-0 F	Propan-2-ol					
PNEC 14	40.9 mg/l (Aqua (freshwater))				
14	140.9 mg/l (Aqua (intermittent))					
14	140.9 mg/l (Aqua (marine water))					
55	552 mg/kg (Freshwater sediment)					
55	552 mg/kg (Marine water sediment)					
2,	2,251 mg/l (Sewage treatment plant) (Assessment factor 1)					
28	28 mg/kg (Soil)					
		that were valid during the compilation were used as basis.				
Αααιιιοι						

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 8 (replaces version 7)

Revision: 17.01.2023

Trade name: Wash Primer

(Contd. of page 3) 8.2 Exposure controls · Appropriate engineering controls No further data; see item 7. · Individual protection measures, such as personal protective equipment General protective and hygienic measures Keep away from foodstuffs, beverages and food. Take off immediately all contaminated clothing Wash hands during breaks and at the end of the work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Filter A2 / P3 (EN 14387) Hand protection Protective gloves. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye/face protection Tightly sealed safety glasses. (EN 166) SECTION 9: Physical and chemical properties 0.1 Information on basic physical and abamical pr

• 9.1 Information on basic physical and chemical pl	roperties
••••••	- () (
Physical state	Fluid
· Colour:	Clear
Odour:	Alcohol-like
Odour threshold:	Not determined.
Melting point/freezing point:	-89.5 °C
· Boiling point or initial boiling point and boiling range	82 °C
[·] Flammability	Highly flammable.
· Lower and upper explosion limit	
· Lower:	2 Vol %
· Upper:	12 Vol %
· Flash point:	13 °C
· Ignition temperature:	425 °C
Decomposition temperature:	Not determined.
pH	Not determined.
· Viscosity:	
Kinematic viscosity	Not determined.
dynamic at 20 °C:	2.43 mPas
· Solubility	
Water at 20 °C:	1.000 g/l
· Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	43 hPa
Density and/or relative density	
· Density at 20 °C	0.785 g/cm³
Relative density	Not determined.
· Vapour density	Not determined.
	(Contd. on page 5)

- GB -

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 8 (replaces version 7)

Revision: 17.01.2023

Trade name: Wash Primer

	(Contd. of page 4
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Self-inflammability:	Not determined.
Explosive properties:	Product is not explosive. However, formation of explosive air/steam mixtures is possible.
Organic solvents:	100.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gas	ses
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

* 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

* 10.3 Possibility of hazardous reactions No dangerous reactions known

* 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

* 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

67-63-0 Propan-2-ol

Oral LD50 5,840 mg/kg (Rat)

Dermal LD50 13,400 mg/kg (Rabbit)

Serious eye damage/irritation Causes serious eye irritation.

STOT-single exposure May cause drowsiness or dizziness.

11.2 Information on other hazards

Endocrine disrupting properties

Substance is not listed.

(Contd. on page 6)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 8 (replaces version 7)

Revision: 17.01.2023

Trade name: Wash Primer

(Contd. of page 5) SECTION 12: Ecological information 12.1 Toxicity · Aquatic toxicity: 67-63-0 Propan-2-ol 13,299 mg/l (Daphnia magna) EC50 (48 hr) LC50 (24 hr) 9,714 mg/l (Daphnia magna) LC50 (96 hr) 4,200 mg/l (FSH) (dynamic) 9,640 mg/l (Pimephales promelas) LOEC (8 days) 1,000 mg/l (Algae) * 12.2 Persistence and degradability No further relevant information available. * 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable • 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects · Additional ecological information: General notes: Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. SECTION 13: Disposal considerations 13.1 Waste treatment methods * Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Uncleaned packagings: · Recommendation: Disposal must be made according to official regulations. Recommended cleaning agent: Water, if necessary with cleaning agent. SECTION 14: Transport information [•] 14.1 UN number or ID number · ADR, IMDG, IATA UN1219 14.2 UN proper shipping name · ADR 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) · IMDG, IATA ISOPROPANOL (ISOPROPYL ALCOHOL) 14.3 Transport hazard class(es) · ADR · Class 3 (F1) Flammable liquids. · Label 3 IMDG, IATA Class 3 Flammable liquids. · Label 3 (Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 8 (replaces version 7)

Revision: 17.01.2023

Trade name: Wash Primer

	(Contd. of page
· 14.4 Packing group · ADR, IMDG, IATA	11
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user EMS Number: Stowage Category	Warning: Flammable liquids. F-E,S-D B
14.7 Maritime transport in bulk accordin instruments	ng to IMO Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category Tunnel restriction code	2 D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

Named dangerous substances - ANNEX I Substance is not listed.

· Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

· National regulations

• Technical instructions (air):

 Class
 Share in %

 NK
 100.0

· Water hazard class: Water hazard class 1 (Assessment by list): slightly hazardous for water.

* 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing data specification sheet: Environment protection department
 Abbreviations and acronyms:
 ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Maritime Code for Dangerous Goods
 EliNECS: European Inventory of Existing Commercial Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (UK REACH)
 PNEC: Predicted No-Effect Concentration (UK REACH)
 LD50: Lethal dose, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPv8: very Persistent and very Bioaccumulative
 Flam.mable liquids – Category 2
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 Data compared to the previous version altered. *