

Page 1/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 3 (replaces version 2) Revision: 17.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: Teak Deck Cleaner
- · Article number: 85303
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

FOR PROFESSIONAL AND INDUSTRIAL USE ONLY

- · Application of the substance / the mixture Cleaning agent / Cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

KENT (United Kingdom) Ltd

Forsyth House Pitreavie Drive

Pitreavie Business Park

Dunfermline

Fife

KY11 8US

Tel: +44 01383 723344 / 0800 136925 Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

Fax: +44 1383 620079 SDS@kenteurope.com

1.4 Emergency telephone number:

Tel: +44 01383 723344 During normal office hours - Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



Signal word Danger

· Hazard-determining components of labelling:

potassium hydroxide Sodium hydroxide

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe mist/vapours/spray. P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 3 (replaces version 2) Revision: 17.01.2023

Trade name: Teak Deck Cleaner

P390 Absorb spillage to prevent material damage. (Contd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

· Description: Mixture of the substances listed below with harmless additions.

· Dangerous components	S:	
CAS: 1310-58-3	potassium hydroxide	0-10%
EINECS: 215-181-3 Reg.nr.: 01-2119487136-33	 Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318; Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 % 	
CAS: 1310-73-2	Sodium hydroxide	0-10%
EINECS: 215-185-5	♠ Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- After inhalation In case of unconsciousness bring patient into stable side position for transport.
- · After skin contact Instantly rinse with water.
- After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- After swallowing Drink copious amounts of water and provide fresh air. Instantly call for doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture Formation of poisonous gases during heating or in fires.
- 5.3 Advice for firefighters
- · Protective equipment: Put on breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Put on breathing apparatus.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Dilute with much water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 3 (replaces version 2) Revision: 17.01.2023

Trade name: Teak Deck Cleaner

See Section 13 for information on disposal.

(Contd. of page 2)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep breathing equipment ready.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class 8 B
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with limit values that require monitoring at the workplace:

1310-73-2 Sodium hydroxide

WEL Short-term value: 2 mg/m3

Regulatory information WEL: EH40/2020

DNELs

1310-58-3 potassium hydroxide

Inhalative Long term local effect 1 mg/m3 (Worker)

PNECs

1310-58-3 potassium hydroxide

PNEC 0.23 mg/l (Aqua (freshwater)) (Assessment factor 1000)

2.3 mg/l (Aqua (intermittent)) (Assessment factor 100)

100 mg/l (Sewage treatment plant) (Assessment factor 10)

· Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Breathing equipment: Filter A2 / P3 (EN 14387)

Hand protection



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 3 (replaces version 2) Revision: 17.01.2023

Trade name: Teak Deck Cleaner

(Contd. of page 3)

· Eye/face protection



Safety glasses (EN 166)

Tightly sealed safety glasses. (EN 166)

9.1 Information on basic physical and chemical pl	roperties
General Information	. 0, 0
Physical state	Fluid
Colour:	Yellow
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling range	Not determined
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Decomposition temperature:	Not determined.
pH at 20 °C	12
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Fully miscible
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C	1.125 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	Tiulu
environment, and on safety.	
Self-inflammability:	Product is not colfigniting
Explosive properties:	Product is not selfigniting.
Solvent content:	Product is not explosive.
Organic solvents:	Nil VOC
Change in condition	NII VOC
Evaporation rate	Not determined.
<u> </u>	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
	Void
Flammable solids	
Flammable solids Self-reactive substances and mixtures	Void
Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 3 (replaces version 2) Revision: 17.01.2023

Trade name: Teak Deck Cleaner

(Contd. of page 4)

· Substances and mixtures, which emit flammable gases

in contact with water Void
Oxidising liquids Void
Oxidising solids Void
Organic peroxides Void

Corrosive to metals May be corrosive to metals.

Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:

1310-58-3 potassium hydroxide

Oral LD50 365 mg/kg (Rat)

1310-73-2 Sodium hydroxide

Oral LD50 2,000 mg/kg (Rat)

- Skin corrosion/irritation Causes severe skin burns and eye damage.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity:

1310-73-2 Sodium hydroxide

EC50 (48 hr) 40.4 mg/l (Crustacea)

LC50 (96 hr) 196 mg/l (Fish)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 3 (replaces version 2) Revision: 17.01.2023

Trade name: Teak Deck Cleaner

(Contd. of page 5)

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport Information	SECTION 14: Transport information		
14.1 UN number or ID number			
ADR, IMDG, IATA	UN1719		
14.2 UN proper shipping name			
ADR	1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE,		
	POTASSIUM HYDROXIDE)		
IMDG, IATA	CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, POTASSIU		
	HYDROXIDE)		
14.3 Transport hazard class(es)			
ADR			
<u> </u>			
8			
Close	Q (QE) Compains authorous		
Class Label	8 (C5) Corrosive substances. 8		
	δ		
IMDG, IATA			
Class	8 Corrosive substances.		
Label	8		
14.4 Packing group			
ADR, IMDG, IATA	II		
14.5 Environmental hazards:	Not applicable.		

14.6 Special precautions for user	Warning: Corrosive substances.		
Kemler Number:	80		
EMS Number:	F-A,S-B		
Segregation groups	Alkalis		
Stowage Category Segregation Code	A SG22 Stow "away from" ammonium salts		
Jegregation Code	SG22 Stow away from ammonium saits SG35 Stow "separated from" SGG1-acids		
14.7 Maritima transport in hulk according	*		
14.7 Maritime transport in bulk according			
instruments	Not applicable.		
Transport/Additional information:			
ADR			
Limited quantities (LQ)	1L		
Excepted quantities (ÉQ)	Code: E2		
- , , ,	Maximum net quantity per inner packaging: 30 ml		
	Maximum net quantity per outer packaging: 500 ml		
Transport category	2		
Tunnel restriction code	E		

according to 1907/2006/EC, Article 31

Revision: 17.01.2023 Printing date 23.01.2023 Version number 3 (replaces version 2)

Trade name: Teak Deck Cleaner

(Contd. of page 6) · IMDG · Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · UN "Model Regulation": UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, POTASSIUM HYDROXIDE), 8, II

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Department issuing data specification sheet: Environment protection department

Abbreviations and acronyms:

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Data compared to the previous version altered. *