

Page 1/7

Revision: 18.01.2023

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 42 (replaces version 41)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: RENOVATOR Exterior Plastic Gel
- · Article number: 85747
- 1.2 Relevant identified uses of the substance or mixture and uses advised against FOR PROFESSIONAL AND INDUSTRIAL USE ONLY
- · Application of the substance / the mixture Coating compound / Surface coating/ paint
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

KENT (United Kingdom) Ltd Forsyth House Pitreavie Drive Pitreavie Business Park Dunfermline

Fife

KY11 8US

Tel: +44 01383 723344 / 0800 136925 Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

Fax: +44 1383 620079 SDS@kenteurope.com

1.4 Emergency telephone number:

Tel: +44 01383 723344 During normal office hours - Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 3 H226 Flammable liquid and vapour.



STOT SE 3 H336 May cause drowsiness or dizziness.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms





· Signal word Warning

· Hazard-determining components of labelling:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatics

Hazard statements

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing mist/vapours/spray.
P280 Wear protective gloves / eye protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 42 (replaces version 41) Revision: 18.01.2023

Trade name: RENOVATOR - Exterior Plastic Gel

(Contd. of page 1)

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- · Description: Mixture of the substances listed below with harmless additions.
- Dangerous components:

EC number: 919-857-5 | Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatics | 50-75% | Reg.nr.: 01-2119463258-33 | Flam. Liq. 3, H226; Asp. Tox. 1, H304; STOT SE 3, H336

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact Rinse with warm water.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Rinse out mouth and then drink plenty of water.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents CO2, extinguishing powder or water haze. Fight larger fires with water haze or alcohol-resistant foam.
- For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

Prevent material from reaching sewage system, holes and cellars.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

— GB

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 42 (replaces version 41) Revision: 18.01.2023

Trade name: RENOVATOR - Exterior Plastic Gel

(Contd. of page 2)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

- Storage
- Requirements to be met by storerooms and containers: Store in cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed containers.

- · Storage class 3
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatics

Dermal Long term systemic effect 208 mg/kg bw/dy (Worker)
Inhalative Long term systemic effect 871 mg/m3 (Worker)

Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands during breaks and at the end of the work.
- Breathing equipment: Not necessary if room is well-ventilated.
- Hand protection



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Wear suitable gloves tested to EN 374

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: Level 6 > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed safety glasses. (EN 166)

Body protection: Protective work clothing (EN-13034/6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 42 (replaces version 41) Revision: 18.01.2023

Trade name: RENOVATOR - Exterior Plastic Gel

(Contd. of page 3)

SECTION 9: Physical and chemical properties	
9.1 Information on basic physical and chemical pi	roperties
General Information	
Physical state	Fluid
Colour:	Green
Odour:	Fruit-like
Odour threshold:	Not determined.
Melting point/freezing point:	Not determined.
Boiling point or initial boiling point and boiling range	175 °C
Flammability	Flammable.
	riailillasie.
Lower and upper explosion limit	0.01/ 10/
Lower:	0.9 Vol %
Upper:	8 Vol %
Flash point:	40 °C
Ignition temperature:	> 230 °C
Decomposition temperature:	Not determined.
рН	Mixture is non-polar/aprotic.
Viscosity:	
Kinematic viscosity	Not determined.
dynamic at 20 °C:	12000 mPas (ISO 6mm)
Solubility	
Water:	Not miscible / difficult to mix
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	not dotominod.
Density at 20 °C	0.83 g/cm ³
Relative density	Not determined.
Vapour density	Not determined. Not determined.
vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Viscous
Important information on protection of health and	
environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/steam
	mixtures is possible.
Solvent content:	
Organic solvents:	616g/I VOC
Change in condition	0.0g/, 1.00
Evaporation rate	Not determined.
•	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases	
in contact with water	
	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 42 (replaces version 41) Revision: 18.01.2023

Trade name: RENOVATOR - Exterior Plastic Gel

(Contd. of page 4)

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- * 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatics

Oral LD50 >5,000 mg/kg (Rat)
Dermal LD50 >3,000 mg/kg (Rabbit)

STOT-single exposure May cause drowsiness or dizziness.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

· Aquatic toxicity:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatics

EL50 (72 hr) >1,000 mg/l (Pseudokirchneriella subcapitata)

ELO (48 hr) 1,000 mg/l (Daphnia magna)

LL50 (96 hr) >1,000 mg/l (Oncorhynchus mykiss)

NOELR 100 mg/l (Pseudokirchneriella subcapitata) (72 hrs)

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 42 (replaces version 41) Revision: 18.01.2023

Trade name: RENOVATOR - Exterior Plastic Gel

(Contd. of page 5)

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

44 4 IIN number or ID number	
14.1 UN number or ID number ADR, IMDG, IATA	UN1993
14.2 UN proper shipping name	
ADR	1993 FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9-C11)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9-C11)
14.3 Transport hazard class(es)	
ADR	
Class	3 (F1) Flammable liquids.
Label	3 ′
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDG	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Elammahla liquida
EMS Number:	Warning: Flammable liquids. F-E,S-E
Stowage Category	, <u>2,3 2</u> А
14.7 Maritime transport in bulk according	
instruments	Not applicable.
Transport/Additional information:	тот арриосите.
ADR Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code Remarks:	D/E NOT REGULATED UNDER ADR IN ACCORDANCE WITH PARAGRAP
Nemarks.	2.2.3.1.5
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 42 (replaces version 41) Revision: 18.01.2023

Trade name: RENOVATOR - Exterior Plastic Gel

	(Contd. of page 6)
· Remarks:	IMDG: TRANSPORT IN ACCORDANCE WITH PARAGRAPH 2.3.2.5 OF THE IMDG CODE IMDG: TRANSPORT IN ACCORDANCE WITH PARAGRAPH 2.3.2.5 OF THE IMDG CODE
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (HYDROCARBONS, C9-C11), 3,

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations
- Water hazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

Department issuing data specification sheet: Environment protection department

Abbreviations and acronyms:

RID: (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)
LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1

Data compared to the previous version altered. *