

Page 1/8

Revision: 16.01.2023

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 53 (replaces version 52)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: Re-Odouriser MINT
- · Article number: 86229
- 1.2 Relevant identified uses of the substance or mixture and uses advised against FOR PROFESSIONAL AND INDUSTRIAL USE ONLY
- · Application of the substance / the mixture Refreshing agent
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

KENT (United Kingdom) Ltd

Forsyth House

Pitreavie Drive

Pitreavie Business Park

Dunfermline

Fife

KY11 8US

Tel: +44 01383 723344 / 0800 136925 Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

Fax: +44 1383 620079 SDS@kenteurope.com

1.4 Emergency telephone number:

Tel: +44 01383 723344 During normal office hours - Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Aerosol 1 H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.



Eye Irrit. 2 H319 Causes serious eye irritation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

Propan-2-ol

· Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 53 (replaces version 52) Revision: 16.01.2023

Trade name: Re-Odouriser MINT

P260 Do not breathe spray.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of the substances listed below with harmless additions.

Dangerous components:				
CAS: 115-10-6 EINECS: 204-065-8 Reg.nr.: 01-2119472128-37	Dimethyl ether	Flam. Gas 1A, H220; Press. Gas (Comp.), H280	75-100%	
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25	Propan-2-ol	♠ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336	10-25%	

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

· After inhalation Supply fresh air; consult doctor in case of symptoms.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

Generally the product is not skin irritating.

- After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- After swallowing Drink copious amounts of water and provide fresh air. Instantly call for doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire fighting measures that suit the environment.

CO2, extinguishing powder or water haze. Fight larger fires with water haze or alcohol-resistant foam.

- For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture Formation of poisonous gases during heating or in fires.
- 5.3 Advice for firefighters
- Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained breathing apparatus.

Put on breathing apparatus.

• Additional information Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources

Put on breathing apparatus.

Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 53 (replaces version 52) Revision: 16.01.2023

Trade name: Re-Odouriser MINT

(Contd. of page 2)

6.3 Methods and material for containment and cleaning up:

Allow material to evaporate.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on flames or red-hot objects.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and containers:

Store in cool location

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Store container in a well ventilated position.

- · Storage class 2 B
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with limit values that require monitoring at the workplace:

115-10-6 Dimethyl ether

WEL Short-term value: 958 mg/m³, 500 ppm Long-term value: 766 mg/m³, 400 ppm

67-63-0 Propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

Regulatory information WEL: EH40/2020

DNELs

115-10-6 Dimethyl ether

Inhalative Long term systemic effect 1,894 mg/m3 (Worker)

67-63-0 Propan-2-ol

Oral Long term systemic effect 26 mg/kg/day (Consumer) Dermal Long term systemic effect 319 mg/kg/day (Consumer) 888 mg/kg bw/day (Worker) Inhalative Long term systemic effect 89 mg/m³ (Consumer) 500 mg/m3 (Worker)

PNECs

115-10-6 Dimethyl ether

PNEC 0.155 mg/l (Agua (freshwater))

1,549 mg/l (Aqua (intermittent))

0.016 mg/l (Aqua (marine water))

0.681 mg/l (Freshwater sediment)

0.069 mg/l (Marine water sediment)

0.045 mg/l (Soil)

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 53 (replaces version 52) Revision: 16.01.2023

Trade name: Re-Odouriser MINT

(Contd. of page 3)

67-63-0 Propan-2-ol

PNEC 140.9 mg/l (Aqua (freshwater))

140.9 mg/l (Aqua (intermittent))

140.9 mg/l (Agua (marine water))

552 mg/kg (Freshwater sediment)

552 mg/kg (Marine water sediment)

2,251 mg/l (Sewage treatment plant) (Assessment factor 1)

28 mg/kg (Soil)

Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

Only during spraying without adequate removal by suction.

Filter A2 / P3 (EN 14387)

Hand protection



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Wear suitable gloves tested to EN 374

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: Level 6 > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Safety glasses (EN 166)

· Body protection: Protective work clothing (EN-13034/6)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

· Physical state Aerosol · Colour: Colourless Odour: Pleasant · Odour threshold: Not determined. · Melting point/freezing point: Not determined

Boiling point or initial boiling point and boiling range

Not applicable, as aerosol · Flammability Not applicable.

· Lower and upper explosion limit

Lower: 2.0 Vol %

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 53 (replaces version 52) Revision: 16.01.2023

Trade name: Re-Odouriser MINT

(Contd. of page 4)

· **Upper:** 26.2 Vol %

· Flash point: Not applicable, as aerosol

Ignition temperature: 240 °C

· Decomposition temperature: Not determined.

· **pH** Mixture is non-soluble (in water).

· Viscosity:

Kinematic viscositydynamic:Not determined.Not determined.

Solubility

• Water: Not miscible / difficult to mix

Partition coefficient n-octanol/water (log value) Not determined.

• Vapour pressure at 20 °C: 4000 hPa (3000 mm Hg)

Density and/or relative density

Density at 20 °C
 Relative density
 Vapour density
 Not determined.
 Not determined.

9.2 Other information

· Appearance:

Form: Aerosol

Important information on protection of health and

environment, and on safety.

Self-inflammability: Product is not selfigniting.

Explosive properties: Not determined.

Solvent content:

· Organic solvents: 686 g/l VOC

Change in condition

• Evaporation rate Not applicable.

· Information with regard to physical hazard classes

Explosives Void
Flammable gases Void

• Aerosols Extremely flammable aerosol. Pressurised container: May burst if

heated. Void

Oxidising gases
Void
Gases under pressure
Void
Flammable liquids
Flammable solids
Void
Self-reactive substances and mixtures
Void

Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Void
Void

Substances and mixtures, which emit flammable gases in contact with water Void
Oxidising liquids Void

Oxidising liquids Void
Oxidising solids Void
Organic peroxides Void
Corrosive to metals Void
Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 53 (replaces version 52) Revision: 16.01.2023

Trade name: Re-Odouriser MINT

(Contd. of page 5)

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

67-63-0 Propan-2-ol

ral | LD50 | 5,840 mg/kg (Rat)

Dermal LD50 13,400 mg/kg (Rabbit)

- Serious eye damage/irritation Causes serious eye irritation.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

· Aquatic toxicity:				
115-10-6 Dimethyl ether				
EC50 (48 hr)	>4,000 mg/l (Daphnia magna)			
EL50 (48 hr)	4,001 mg/l (Daphnia magna)			
LC50 (48 hr)	755,549 mg/l (Daphnia magna)			
LC50 (96 hr)	154.9 mg/l (Algae)			
	4,001 mg/l (Poecilia reticulata)			
67-63-0 Propan-2-ol				
EC50 (48 hr)	13,299 mg/l (Daphnia magna)			
LC50 (24 hr)	9,714 mg/l (Daphnia magna)			
LC50 (96 hr)	4,200 mg/l (FSH) (dynamic)			
	9,640 mg/l (Pimephales promelas)			
LOEC (8 days)	1,000 mg/l (Algae)			

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

· ADR, IMDG, IATA UN1950

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 53 (replaces version 52) Revision: 16.01.2023

Trade name: Re-Odouriser MINT

(Contd. of page 6)

14.2 UN proper shipping name

· ADR 1950 AEROSOLS · IMDG AEROSOLS

· IATA AEROSOLS, flammable

· 14.3 Transport hazard class(es)

· ADR



 • Class
 2 5F Gases.

 • Label
 2.1

· IMDG, IATA



 • Class
 2.1 Gases.

 • Label
 2.1

14.4 Packing group

· ADR, IMDG, IATA Void

14.5 Environmental hazards:

· Marine pollutant: No

· 14.6 Special precautions for user Warning: Gases.

· EMS Number:

Stowage Code SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A.

For AEROSOLS with a capacity above 1 litre: Category B. For WASTE

AEROSOLS: Category C, Clear of living quarters.

• Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre:

Segregation as for class 9. Stow "separated from" class 1 except for

division 1.4.

F-D,S-U

For AEROSOLS with a capacity above 1 litre:

Segregation as for the appropriate subdivision of class 2.

For WASTE AEROSOLS:

Not permitted as Excepted Quantity

Segregation as for the appropriate subdivision of class 2.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

· Transport/Additional information:

ADR

· Limited quantities (LQ)

Excepted quantities (EQ)

Code: E0

Not permitted as Excepted Quantity

· Transport category 2 · Tunnel restriction code D

IMDG

Limited quantities (LQ)

Excepted quantities (EQ) Code: E0

· UN "Model Regulation": UN 1950 AEROSOLS, 2.1

— G

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 53 (replaces version 52) Revision: 16.01.2023

Trade name: Re-Odouriser MINT

(Contd. of page 7)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- National regulations
- · Technical instructions (air):

Class	Share in %
NK	92.0

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- * 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eve irritation

H336 May cause drowsiness or dizziness.

Department issuing data specification sheet: Environment protection department

Abbreviations and acronyms:

RID: (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

INTEL INTERNATIONAL MATTER CODE OF DAILY ASSOCIATION ASSOCIATION OF THE PROPERTY OF THE PROPER

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases – Category 1A Aerosol 1: Aerosols – Category 1

Aerosof 1. Aerosols – Category 3
Press. Gas (Comp.): Gases under pressure – Compressed gas
Flam. Liq. 2: Flammable liquids – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Data compared to the previous version altered. *