

## 23.01.2023 Kit components

Product code	Description	
84003	PLASTIC REPAIR TPO	
Components:		
84003A	TPO Plastic Repair PART A	



Page 1/6

Revision: 17.01.2023

### Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 40 (replaces version 39)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: TPO Plastic Repair PART A
- · Article number: 84003A
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against FOR PROFESSIONAL AND INDUSTRIAL USE ONLY
- Application of the substance / the mixture Adhesive
- Application of the substance / the mixture Auresive
- 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:

KENT (United Kingdom) Ltd

Forsyth House

Pitreavie Drive

Pitreavie Business Park

Dunfermline

Fife

KY11 8US

Tel: +44 01383 723344 / 0800 136925 Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

Fax: +44 1383 620079 SDS@kenteurope.com

1.4 Emergency telephone number:

Tel: +44 01383 723344 During normal office hours - Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

#### SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Eye Irrit. 2 H319 Causes serious eye irritation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms



· Signal word Warning

· Hazard statements Void

#### according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 40 (replaces version 39) Revision: 17.01.2023

Trade name: TPO Plastic Repair PART A

(Contd. of page 1)

#### · Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

#### 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

#### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Description: Mixture of the substances listed below with harmless additions.

Dangerous components:

64852-22-8 Glyceryl ply(oxypropylene)triamine

<3%

Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation Take affected persons into the open air and position comfortably
- · After skin contact If skin irritation continues, consult a doctor.
- After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- · After swallowing Rinse out mouth and then drink plenty of water.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

#### Suitable extinguishing agents

Water haze

Foam

Carbon dioxide

Fire-extinguishing powder

Use fire fighting measures that suit the environment.

#### 5.2 Special hazards arising from the substance or mixture

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

#### Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained breathing apparatus.

#### Additional information

Cool endangered containers with water spray jet.

Collect contaminated fire fighting water separately. It must not enter drains.

#### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: No special measures required.

#### 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable containers.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

### according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 40 (replaces version 39) Revision: 17.01.2023

Trade name: TPO Plastic Repair PART A

See Section 13 for information on disposal.

(Contd. of page 2)

#### SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Open and handle container with care.
- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Protect from humidity and keep away from water.

Store container in a well ventilated position.

- Storage class 12
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the compilation were used as basis.

#### 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### Breathing equipment:

Use breathing protection in case of insufficient ventilation.

Filter B

· Hand protection



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

Value for the permeation: Level 6 > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Safety glasses (EN 166)

Tightly sealed safety glasses. (EN 166)

(Contd. on page 4)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 40 (replaces version 39) Revision: 17.01.2023

Trade name: TPO Plastic Repair PART A

· Body protection: Protective work clothing (EN-13034/6)

(Contd. of page 3)

SECTION 9: Physical and chemical properties	
9.1 Information on basic physical and chemical pl	roperties
General Information	
Physical state	Fluid
Colour:	Black
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling range	Not determined
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Decomposition temperature:	Not determined.
pH	Mixture is non-soluble (in water).
Viscosity:	Wixture is non-soluble (iii water).
Kinematic viscosity	Not determined.
dynamic at 25 °C:	
	860 mPas
Solubility	Not missible / difficult to main
Water:	Not miscible / difficult to mix
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C	1 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	Turu
environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Solvent content:	Floudet is not explosive.
Organic solvents:	NIII VOC
	NIL VOC
Change in condition Evaporation rate	Not data wasing a
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases	
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
O	1/0/0
Organic peroxides Corrosive to metals	Void Void

#### according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 40 (replaces version 39) Revision: 17.01.2023

Trade name: TPO Plastic Repair PART A

(Contd. of page 4)

· Desensitised explosives

Void

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- \* 10.6 Hazardous decomposition products: No dangerous decomposition products known

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

64852-22-8 Glyceryl ply(oxypropylene)triamine

Oral LD50 2,690 mg/kg (RAT)
Dermal LD50 12,500 mg/kg (RAB)

- Serious eye damage/irritation Causes serious eye irritation.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

#### SECTION 12: Ecological information

- 12.1 Toxicity
- · Aquatic toxicity:

64852-22-8 Glyceryl ply(oxypropylene)triamine

LC50 (96 hr) 68 mg/l (Fish)

- 12.2 Persistence and degradability No further relevant information available.
- \* 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

At present there are no ecotoxicological assessments.

Generally not hazardous for water.

#### **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- \* Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

– G

#### according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 40 (replaces version 39) Revision: 17.01.2023

Trade name: TPO Plastic Repair PART A

(Contd. of page 5)

SECTION 14: Transport information	
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according instruments	g to IMO NOT REGULATED
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

#### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Water hazard class: Generally not hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing data specification sheet: Environment protection department

#### Abbreviations and acronyms:

RID: (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

Data compared to the previous version altered.



Page 1/8

Revision: 17.01.2023

### Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 46 (replaces version 45)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: TPO Plastic Repair PART B
- · Article number: 84003B
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

FOR PROFESSIONAL AND INDUSTRIAL USE ONLY

- · Application of the substance / the mixture Adhesive
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

KENT (United Kingdom) Ltd

Forsyth House

Pitreavie Drive

Pitreavie Business Park

Dunfermline

Fife

KY11 8US

Tel: +44 01383 723344 / 0800 136925 Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

Fax: +44 1383 620079 SDS@kenteurope.com

1.4 Emergency telephone number:

Tel: +44 01383 723344 During normal office hours - Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

#### SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

#### 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

methylenediphenyl diisocyanate

Hazard statements

H332 Harmful if inhaled.

(Contd. on page 2)

### according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 46 (replaces version 45) Revision: 17.01.2023

Trade name: TPO Plastic Repair PART B

(Contd. of page 1)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

#### Precautionary statements

P201 Obtain special instructions before use.

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. P308+P313 IF exposed or concerned: Get medical advice/attention.

#### · Additional information:

Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use.

#### Labelling of packages where the contents do not exceed 125 ml

#### · Hazard pictograms





GHS07

GHS08

#### · Signal word Danger

#### Hazard-determining components of labelling:

methylenediphenyl diisocyanate

#### · Hazard statements

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

#### · Precautionary statements

P201 Obtain special instructions before use.

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. P308+P313 IF exposed or concerned: Get medical advice/attention.

#### 2.3 Other hazards

#### · Results of PBT and vPvB assessment

· PBT: Not applicable.

· **vPvB:** Not applicable.

#### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Description: Mixture of the substances listed below with harmless additions.

#### Dangerous components:

9016-87-9 methylenediphenyl diisocyanate

75-100%

Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; 
♠ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204
Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 %
Skin Irrit. 2: H315: C ≥ 5 %

Skin Irrit. 2; H315:  $C \ge 5$  % Resp. Sens. 1; H334:  $C \ge 0.1$  % STOT SE 3;  $C \ge 5$  %

Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

#### · General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### After inhalation

Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

- After skin contact If skin irritation continues, consult a doctor.
- After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

(Contd. on page 3)

#### according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 46 (replaces version 45) Revision: 17.01.2023

Trade name: TPO Plastic Repair PART B

(Contd. of page 2)

#### After swallowing

Rinse out mouth.

Seek immediate medical advice.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

#### 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

#### 5.3 Advice for firefighters

#### Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained breathing apparatus.

Wear full protective suit.

Put on breathing apparatus.

#### Additional information

Cool endangered containers with water spray jet.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use breathing protection against the effects of fumes / dust / aerosol.

Ensure adequate ventilation

6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable containers.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle container with care.

Keep away from heat and direct sunlight.

Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Storage
- Requirements to be met by storerooms and containers: Store in cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from humidity and keep away from water.

Store container in a well ventilated position.

· Storage class 10

7.3 Specific end use(s) No further relevant information available.

- GB

#### according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 46 (replaces version 45) Revision: 17.01.2023

Trade name: TPO Plastic Repair PART B

(Contd. of page 3)

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Components with limit values that require monitoring at the workplace:

#### 9016-87-9 methylenediphenyl diisocyanate

WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³

Sen; as -NCO

- · Regulatory information WEL: EH40/2020
- · Additional information: The lists that were valid during the compilation were used as basis.

#### 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

#### Breathing equipment:

Ensure good ventilation. If this is not sufficient breathing protection must be used so that the vaporisation level is held under the workplace limit.

Short term filter device:

Filter B (EN 14387)

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

#### · Hand protection



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

> 300 °C

#### Penetration time of glove material

Value for the permeation: Level 6 > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye/face protection



Safety glasses (EN 166)

Tightly sealed safety glasses. (EN 166)

Body protection: Protective work clothing (EN-13034/6)

#### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

**General Information** 

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid

Dark yellow
Characteristic
Not determined

Not determined
Not determined

Boiling point or initial boiling point and boiling range

(Contd. on page 5)

### according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 46 (replaces version 45) Revision: 17.01.2023

Trade name: TPO Plastic Repair PART B

(Contd. of page 4)

· Flammability Not applicable. · Lower and upper explosion limit · Lower: Not determined. · Upper: Not determined. · Flash point: 230 °C Ignition temperature: >600 °C Decomposition temperature: Not determined. · pH Mixture is non-soluble (in water). Viscosity: Kinematic viscosity Not determined. · dynamic: 1000 mPas · Solubility · Water: Not miscible / difficult to mix · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: 0.01 Pa Density and/or relative density Density at 20 °C 1.2 g/cm3 Relative density Not determined. · Vapour density Not determined 9.2 Other information · Appearance: Form: Fluid Important information on protection of health and environment, and on safety. Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive. Solvent content: Organic solvents: nil VOC · Change in condition Evaporation rate Not determined. · Information with regard to physical hazard classes · Explosives Void · Flammable gases Void · Aerosols Void Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void Corrosive to metals Void

Void

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

Desensitised explosives

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- \* 10.4 Conditions to avoid Heat. Hot surfaces. Sources of ignition. Flames.
- 10.5 Incompatible materials:

Strong acids and oxidizing agents

Reducing agents

(Contd. on page 6)

#### according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 46 (replaces version 45) Revision: 17.01.2023

Trade name: TPO Plastic Repair PART B

(Contd. of page 5)

Alkalis

10.6 Hazardous decomposition products: Formation of toxic gases is possible during heating or in case of fire.

#### SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if inhaled.
- LD/LC50 values that are relevant for classification:

#### 9016-87-9 methylenediphenyl diisocyanate

Oral LD50 >5,000 mg/kg (Rat)
Dermal LD50 >5,000 mg/kg (Rabbit)

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- May cause an allergic skin reaction.
- Carcinogenicity Suspected of causing cancer.
- STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.
- Additional toxicological information: Limited evidence of a carcinogenic effect.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity
· Aquatic toxicity:

9016-87-9	methylenedipheny	I diisocyanate

EC50 (24 hr)	>1,000 mg/l (Daphnia magna) (OECD 202)
EC50	>100 mg/l (Activated sludge) (OECD 209 3h)
EC50 (48 hr)	>1,000 mg/l (Daphnia magna)
EC50 (72 hr)	>1,640 mg/l (Algae) (OECD 201)
	>1,000 mg/l (Fish) (OECD 203)
NOEC (21 days)	>10 mg/l (Daphnia magna) (OECD 202)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

#### SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

– GI

#### according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 46 (replaces version 45) Revision: 17.01.2023

Trade name: TPO Plastic Repair PART B

(Contd. of page 6)

SECTION 14: Transport information	
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according instruments	g to IMO NOT REGULATED
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

#### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Technical instructions (air):

Class	Share in %
I	76.0

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- \* 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- May cause damage to organs through prolonged or repeated exposure. H373
- EUH204 Contains isocyanates. May produce an allergic reaction.

### · Department issuing data specification sheet: Environment protection department

Abbreviations and acronyms:

RID: (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative (Contd. on page 8)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 46 (replaces version 45)

Trade name: TPO Plastic Repair PART B

(Contd. of page 7)

Revision: 17.01.2023

Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Resp. Sens. 1: Respiratory sensitisation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Carc. 2: Carcinogenicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

\*\*Data compared to the previous version altered.\*\*