

Page 1/6

Revision: 16.01.2023

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 15 (replaces version 14)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: Rapid Gasket
- · Article number: 86553
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

FOR PROFESSIONAL AND INDUSTRIAL USE ONLY

Application of the substance / the mixture

Adhesive Sealant

# 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

KENT (United Kingdom) Ltd

Forsyth House Pitreavie Drive

Pitreavie Business Park

Dunfermline

Fife

**KY11 8US** 

Tel: +44 01383 723344 / 0800 136925 Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

Fax: +44 1383 620079

SDS@kenteurope.com

1.4 Emergency telephone number:

Tel: +44 01383 723344 During normal office hours - Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

#### **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- Signal word Void
- · Hazard statements Void
- · Additional information:

Safety data sheet available on request.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- · Description: Mixture of the substances listed below with harmless additions.
- Dangerous components: Void
- · Additional information For the wording of the listed hazard phrases refer to section 16.

# SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact If skin irritation continues, consult a doctor.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing

Rinse out mouth.

(Contd. on page 2)

# according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 15 (replaces version 14) Revision: 16.01.2023

Trade name: Rapid Gasket

(Contd. of page 1)

Seek medical treatment

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

### 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

## Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained breathing apparatus.

Wear full protective suit.

#### · Additional information

Cool endangered containers with water spray jet.

Collect contaminated fire fighting water separately. It must not enter drains.

### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked / spilled product.

6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable containers.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

# SECTION 7: Handling and storage

- \*7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: No special measures required.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage

### Requirements to be met by storerooms and containers:

Store in cool location.

Store only in the original container.

Information about storage in one common storage facility: Store away from oxidising agents.

### Further information about storage conditions:

Protect from heat and direct sunlight.

Store container in a well ventilated position.

Protect from humidity and keep away from water.

Protect from frost.

~ 20C

· Storage class 12

7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

# Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the compilation were used as basis.

(Contd. on page 3)

# according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 15 (replaces version 14) Revision: 16.01.2023

Trade name: Rapid Gasket

(Contd. of page 2)

#### · 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures Wash hands during breaks and at the end of the work.
- · Breathing equipment:

Ensure good ventilation. If this is not sufficient breathing protection must be used so that the vaporisation level is held under the workplace

A - P2 / A - P3 (EN 14387)

Hand protection



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## Material of gloves

Wear suitable gloves tested to EN 374 Nitrile rubber, NBR

Fluoro carbon rubber

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Not applicable.

#### Penetration time of glove material

Value for the permeation: Level 6 > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

## Eye/face protection



Safety glasses (EN 166)

Body protection: Protective work clothing (EN-13034/6)

# SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid · Colour: Blue · Odour: Characteristic

· Odour threshold: Not determined. Melting point/freezing point: Not determined · Boiling point or initial boiling point and boiling range Not determined

· Flammability · Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable

· Ignition temperature: >300 °C >200 °C Decomposition temperature:

· pH Mixture is non-polar/aprotic.

· Viscosity:

Kinematic viscosity Not determined. dynamic: Not determined.

Solubility

· Water: Not miscible / difficult to mix

· Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure at 25 °C: <0.15 hPa (DIN 51616) Density and/or relative density

Density at 20 °C 1.08 g/cm3 (DIN 51757)

(Contd. on page 4)

# according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 15 (replaces version 14) Revision: 16.01.2023

Trade name: Rapid Gasket

	(C	Contd. of page
Relative density	Not determined.	
Vapour density	Not determined.	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of health a	nd	
environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Solvent content:	·	
Organic solvents:	<15 g/l VOC	
Change in condition	•	
Evaporation rate	Not determined.	
Information with regard to physical hazard clas-	ses	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable	e gases	
in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid Heat. Hot surfaces. Sources of ignition. Flames.
- 10.5 Incompatible materials:

Strong oxidising agents

Peroxides

Alkaline metals

Reducing agents

# 10.6 Hazardous decomposition products:

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

# SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

# according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 15 (replaces version 14) Revision: 16.01.2023

Trade name: Rapid Gasket

(Contd. of page 4)

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

- 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

### **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- · Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

according to 1907/2006/EC, Article 31

Revision: 16.01.2023 Printing date 23.01.2023 Version number 15 (replaces version 14)

Trade name: Rapid Gasket

(Contd. of page 5)

# **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data specification sheet: Environment protection department

Abbreviations and acronyms:

RID: (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation
ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Data compared to the previous version altered. \*