

Page 1/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 20 (replaces version 19)

Revision: 18.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: <u>Air Jet COOKIES</u>
- · Article number: 86611
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** FOR PROFESSIONAL AND INDUSTRIAL USE ONLY
- Application of the substance / the mixture Refreshing agent

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: KENT (United Kingdom) Ltd Forsyth House Pitreavie Drive Pitreavie Business Park Dunfermline Fife KY11 8US

Tel: +44 01383 723344 / 0800 136925 Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm Fax: +44 1383 620079 SDS@kenteurope.com

1.4 Emergency telephone number:

Tel: +44 01383 723344 During normal office hours - Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Aerosol 1 H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated.



Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.
Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labelling:
- Propan-2-ol

P210

Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated. H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Contd. on page 2)

GB

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 20 (replaces version 19)

Revision: 18.01.2023

Trade name: Air Jet - COOKIES

		(Contd. of page 1)
P211	Do not spray on an open flame or other ignition source.	
P251	Do not pierce or burn, even after use.	
P261	Avoid breathing mist/vapours/spray.	
P280	Wear protective gloves / eye protection.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Continue rinsing.	l easy to do.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	
2.3 Other ha	azards	
Results of Pl	3T and vPvB assessment	
· PBT: Not appl	cable.	
· vPvB: Not app	licable.	

VPVB: Not applicable.

SECTION 3: Composition/information on ingredients

[•] 3.2 Mixtures

Description: Mixture of the substances listed below with harmless additions.

s:		
Propane liquefied	🚸 Flam. Gas 1A, H220; Press. Gas (Comp.), H280	25-50%
Propan-2-ol	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336	10-25%
Isobutane	� Flam. Gas 1A, H220; Press. Gas (Comp.), H280	10-25%
butane	🚸 Flam. Gas 1A, H220	10-25%
	Propane liquefied Propan-2-ol Isobutane	Propane liquefied Image: Flam. Gas 1A, H220; Press. Gas (Comp.), H280 Propan-2-ol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336 Isobutane Flam. Gas 1A, H220; Press. Gas (Comp.), H280

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

· After inhalation Supply fresh air; consult doctor in case of symptoms.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

Generally the product is not skin irritating.

• After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

• After swallowing Rinse out mouth and then drink plenty of water.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture Carbon monoxide and carbon dioxide
- 5.3 Advice for firefighters
- Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained breathing apparatus.

· Additional information Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 20 (replaces version 19)

Revision: 18.01.2023

(Contd. of page 2)

Trade name: Air Jet - COOKIES

6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
6.3 Methods and material for containment and cleaning up:

Allow material to evaporate.

Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on flames or red-hot objects.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers:

Observe official regulations on storing packagings with pressurised containers. Store in cool location.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Protect from heat and direct sunlight.
- · Storage class 2 B
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

[•] 8.1 Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Oral	Long term systemic effect	26 mg/kg/day (Consumer)	
Dermal	Long term systemic effect	319 mg/kg/day (Consumer)	
		888 mg/kg bw/day (Worker)	
Inhalative	Long term systemic effect	89 mg/m³ (Consumer)	
		500 mg/m3 (Worker)	
PNECs			
67-63-0 Pi	ropan-2-ol		
PNEC 14	NEC 140.9 mg/l (Aqua (freshwater))		
14	140.9 mg/l (Aqua (intermittent))		
14	140.9 mg/l (Aqua (marine water))		
55	552 mg/kg (Freshwater sediment)		
55	552 mg/kg (Marine water sediment)		
2,2	2,251 mg/l (Sewage treatment plant) (Assessment factor 1)		
28	28 mg/kg (Soil)		

• Appropriate engineering controls No further data; see item 7.

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 20 (replaces version 19)

Revision: 18.01.2023

(Contd. of page 3)

Trade name: Air Jet - COOKIES

Breathing equipment:

Only during spraying without adequate removal by suction. Filter AX (EN 14387) Hand protection



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Wear suitable gloves tested to EN 374

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: Level 6 > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Safety glasses (EN 166)

Tightly sealed safety glasses. (EN 166)

SECTION 9: Physical and chemical properties	
9.1 Information on basic physical and chemical p	roperties
General Information	
· Physical state	Aerosol
· Colour:	Colourless
· Odour:	Light
· Odour threshold:	Not determined.
· Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling range	Not applicable, as aerosol
Flammability	Not applicable.
• Lower and upper explosion limit	
· Lower:	0.8 Vol %
· Upper:	9.0 Vol %
· Flash point:	Not applicable, as aerosol
Decomposition temperature:	Not determined.
pH	Mixture is non-polar/aprotic.
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
· Solubility	
Water:	Not miscible / difficult to mix
· Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C	0.79 g/cm³
· Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
· Appearance:	
Form:	Aerosol
	(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 20 (replaces version 19)

Revision: 18.01.2023

Trade name: Air Jet - COOKIES

	(Contd. of page
Important information on protection of health a	and
environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Not determined.
Solvent content:	
Organic solvents:	564 g/l VOC
Change in condition	·
Evaporation rate	Not applicable.
Information with regard to physical hazard clas	sses
Explosives	Void
Flammable gases	Void
Aerosols	Extremely flammable aerosol. Pressurised container: May burst if heated.
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammab	le gases
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

* 10.3 Possibility of hazardous reactions No dangerous reactions known

* 10.4 Conditions to avoid Heat. Hot surfaces. Sources of ignition. Flames.

10.5 Incompatible materials:

Strong acids and oxidizing agents

Strong alkalis

10.6 Hazardous decomposition products: Formation of toxic gases is possible during heating or in case of fire. Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

74.09.6.0	ronono liava	-	
74-98-0 P	ropane lique		
	ErC 50	19.37 mg/l (Algae) (96 hr)	
67-63-0 P	ropan-2-ol		
Oral	LD50	5,840 mg/kg (Rat)	
Dermal	LD50	13,400 mg/kg (Rabbit)	
75-28-5 ls	obutane		
	ErC 50	19.37 mg/l (Algae)	
106-97-8	butane		
Inhalative	LC50 (4 hr)	658 mg/l (Rat)	
	ErC 50	19.37 mg/l (Algae) (96 hr)	
			(Contd. on page

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 20 (replaces version 19)

Revision: 18.01.2023

(Contd. of page 5)

Trade name: Air Jet - COOKIES

· Serious eye damage/irritation Causes serious eye irritation.

· STOT-single exposure May cause drowsiness or dizziness.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

[·] 12.1 Toxicity

· Aquatic toxic	city:	
74-98-6 Propa	ne liquefied	
EC50 (48 hr)	69.43 mg/l (Daphnia magna)	
LC50 (96 hr)	49.9 mg/l (Fish)	
67-63-0 Propa	n-2-ol	
EC50 (48 hr)	13,299 mg/l (Daphnia magna)	
LC50 (24 hr)	9,714 mg/l (Daphnia magna)	
LC50 (96 hr)	4,200 mg/l (FSH) (dynamic)	
	9,640 mg/l (Pimephales promelas)	
LOEC (8 days)	1,000 mg/l (Algae)	
75-28-5 Isobutane		
EC50 (48 hr)	69.43 mg/l (Daphnia magna)	
LC50 (96 hr)	91.42 mg/l (Fish)	
106-97-8 butar	1e	
EC50 (48 hr)	69.43 mg/l (Daphnia magna)	
LC50 (96 hr)	49.9 mg/l (Fish)	
12.2 Persist	tence and degradability No further relevant information available.	
12.3 Bioacc	cumulative potential No further relevant information available.	
[·] 12.4 Mobilit	t y in soil No further relevant information available.	
	s of PBT and vPvB assessment	
· PBT: Not appl	icable.	
• vPvB: Not app		
[•] 12.6 Endoc	rine disrupting properties The product does not contain substances with endocrine disrupting properties.	
40 7 041		

12.7 Other adverse effects

• Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number		
ADR, IMDG, IATA	UN1950	
14.2 UN proper shipping name		
ADR	1950 AEROSOLS	
IMDG	AEROSOLS	
ΙΑΤΑ	AEROSOLS, flammable	

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 20 (replaces version 19)

Revision: 18.01.2023

Trade name: Air Jet - COOKIES

	(Contd. of pag
14.3 Transport hazard class(es)	
ADR	
Class	2 5F Gases.
Label	2.1
IMDG, IATA	
2	
Class	2.1 Gases.
Label	2.1
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	
Kemler Number:	Warning: Gases.
EMS Number:	- F-D.S-U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A.
	For AEROSOLS with a capacity above 1 litre: Category B. For WASTE
Segregation Code	AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre:
Segregation code	Segregation as for class 9. Stow "separated from" class 1 except for
	division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
14.7 Maritime transport in bulk accord	
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
Transport actorsory	Not permitted as Excepted Quantity
Transport category Tunnel restriction code	2
	D
IMDG	
Limited quantities (LQ)	1L Contro 50
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P3a FLAMMABLE AEROSOLS

Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

(Contd. on page 8)

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 20 (replaces version 19)

Revision: 18.01.2023

(Contd. of page 7)

GB

Trade name: Air Jet - COOKIES

· Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· National regulations

• Technical instructions (air):

Class	Share in	%
NK	58.0	

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H220 Extremely flammable gas. H225 Highly flammable liquid and vapour. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Department issuing data specification sheet: Environment protection department

Abbreviations and acronyms: ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent. Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases – Category 1A Aerosol 1: Aerosols – Category 1 : Aerosols – Category 3 : Aerosois – Category 3 Press. Gas (Comp.): Gases under pressure – Compressed gas Flam. Lig. 2: Flammable liquids – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Data compared to the previous version altered. *