

Page 1/6

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 14 (replaces version 13)

Revision: 12.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: <u>Exhaust Assemly Paste</u>

#### · Article number: 86736

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** FOR PROFESSIONAL AND INDUSTRIAL USE ONLY
- · Application of the substance / the mixture Sealant
- 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: KENT (United Kingdom) Ltd Forsyth House Pitreavie Drive Pitreavie Business Park Dunfermline Fife KY11 8US

Tel: +44 01383 723344 / 0800 136925 Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm Fax: +44 1383 620079 SDS@kenteurope.com

1.4 Emergency telephone number:

Tel: +44 01383 723344 During normal office hours - Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

#### 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. • Hazard pictograms



- Signal word Warning · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statements P280 Wear protective gloves / eye protection. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P501 Dispose of contents/container in accordance with local/regional/national/international regulations. <sup>•</sup> 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable.
- · vPvB: Not applicable

GB

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

#### Version number 14 (replaces version 13)

Revision: 12.01.2023

# Trade name: Exhaust Assemly Paste

(Contd. of page 1)

## SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

· Description: Mixture of the substances listed below with harmless additions.

· Dangerous components:					
CAS: 1332-58-7 EC number: 310-194-1	Kaolin	substance with a Community workplace exposure limit	25-50%		
EC number: 934-756-6	Clay cont. <10% respirable silica	🚸 STOT RE 2, H373	10-25%		
CAS: 1344-09-8 EINECS: 215-687-4 Reg.nr.: 01-2119448725-31	Sodium Silicate	<ul> <li>♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319</li> </ul>	10-25%		

• Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

<sup>•</sup> 4.1 Description of first aid measures

· After inhalation In case of unconsciousness bring patient into stable side position for transport.

After skin contact

Instantly remove any clothing soiled by the product.

If skin irritation continues, consult a doctor.

· After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

- After swallowing Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained breathing apparatus.

### Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

# SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water. Dilute with much water.

# 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable containers.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

# SECTION 7: Handling and storage

7.1 Precautions for safe handling Avoid contact with the eyes and skin.
 Information about protection against explosions and fires: No special measures required.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

#### Version number 14 (replaces version 13)

Revision: 12.01.2023

(Contd. of page 2)

# Trade name: Exhaust Assemly Paste

7.2 Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by storerooms and containers: Store in cool location.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in cool, dry conditions in well sealed containers. Protect from heat and direct sunlight. Protect from frost.
- Storage class 12
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Components with limit values that require monitoring at the workplace:

#### 1332-58-7 Kaolin

WEL Long-term value: 2 mg/m<sup>3</sup>

Regulatory information WEL: EH40/2020

Additional information: The lists that were valid during the compilation were used as basis.

#### 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Breathing equipment: Not necessary if room is well-ventilated.

Hand protection



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

#### Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: Level 6 > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye/face protection** 



Safety glasses (EN 166)

Tightly sealed safety glasses. (EN 166) Body protection: Protective work clothing (EN-13034/6)

SECTION 9: Physical and chemical p	roperties	
9.1 Information on basic physical General Information	and chemical properties	
Physical state	Fluid	
· Colour:	Beige	
		(Contd. on page 4)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 14 (replaces version 13)

Revision: 12.01.2023

# Trade name: Exhaust Assemly Paste

	(Contd. of page 3
Odour:	Light
Odour threshold:	Not determined.
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling range	Not determined
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Decomposition temperature:	Not determined.
pH at 20 °C	10-11
F	Mixture is non-soluble (in water).
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	Not determined.
Water:	Partly miscible
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure: Donsity and/or rolativo donsity	Not determined.
Density and/or relative density	4.0.4.0.*/****
Density at 20 °C	1.8-1.9 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Pasty
Important information on protection of health and	
environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Solvent content:	
Organic solvents:	NIL VOC
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gase	
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

\* 10.3 Possibility of hazardous reactions No dangerous reactions known

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

#### Version number 14 (replaces version 13)

Revision: 12.01.2023

(Contd. of page 4)

# Trade name: Exhaust Assemly Paste

- \* 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids

10.6 Hazardous decomposition products: No dangerous decomposition products known

# SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- <sup>•</sup> 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

#### 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- \* 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

#### SECTION 13: Disposal considerations

13.1 Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

# Version number 14 (replaces version 13)

Revision: 12.01.2023

# Trade name: Exhaust Assemly Paste

		(Contd. of page 5
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	-	
instruments	Not applicable.	
• Transport/Additional information: Not dangerous according to the above specification		
UN "Model Regulation":	Void	

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- \* 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H315 Causes skin irritation.

- H319 Causes serious eye irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- · Department issuing data specification sheet: Environment protection department
- Abbreviations and acronyms:
- RID: (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic

VPVB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Data compared to the previous version altered. \*