23.01.2023

Kit components

Product code	Description
86703	**Turbo PU Repair L.E.**

Components:

86703A	Turbo PU Repair L.E. Part A
86703B	Turbo PU Repair L.E. Part B

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 | Version number 5 (replaces version 4) | Revision: 13.01.2023

*

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· **Trade name:** **Turbo PU Repair L.E. Part A**

· **Article number:** 86703A

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

FOR PROFESSIONAL AND INDUSTRIAL USE ONLY

· **Application of the substance / the mixture** Adhesive

· 1.3 Details of the supplier of the safety data sheet

· **Manufacturer/Supplier:**

KENT (United Kingdom) Ltd
Forsyth House
Pitreavie Drive
Pitreavie Business Park
Dunfermline
Fife
KY11 8US

Tel: +44 01383 723344 / 0800 136925 Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm
Fax: +44 1383 620079
SDS@kenteurope.com

· 1.4 Emergency telephone number:

Tel: +44 01383 723344 During normal office hours - Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· **Classification according to Regulation (EC) No 1272/2008**

Acute Tox. 4 H332 Harmful if inhaled.
Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**

GHS07

· **Signal word** Warning

· **Hazard-determining components of labelling:**
Aliphatic polyisocyanate

· **Hazard statements**
H332 Harmful if inhaled.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.

· **Precautionary statements**

P261	Avoid breathing vapours.
P280	Wear protective gloves.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 5 (replaces version 4) Revision: 13.01.2023

Trade name: Turbo PU Repair L.E. Part A

(Contd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**
Contains isocyanates. May produce an allergic reaction.

· **Labelling of packages where the contents do not exceed 125 ml**

· **Hazard pictograms**

GHS07

· **Signal word** Warning

· **Hazard-determining components of labelling:**
Aliphatic polyisocyanate

· **Hazard statements**
H317 May cause an allergic skin reaction.

· **Precautionary statements**
P280 Wear protective gloves.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of the substances listed below with harmless additions.

· **Dangerous components:**

CAS: 28182-81-2 EC number: 931-274-8 Reg.nr.: 01-2119485796-17	Aliphatic polyisocyanate	Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335	75-100%
CAS: 14807-96-6 EINECS: 238-877-9 Reg.nr.: 01-2120140278-58	Talc (Mg3H2(SiO3)4)	substance with a Community workplace exposure limit	5-15%
CAS: 1305-78-8 EINECS: 215-138-9	calcium oxide	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	0-<3%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information**
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation**
Supply fresh air and call for doctor for safety reasons.
In case of unconsciousness bring patient into stable side position for transport.

· **After skin contact**
Instantly wash with water and soap and rinse thoroughly.
Generally the product is not skin irritating.

· **After eye contact** Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· **After swallowing** In case of persistent symptoms consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents** Use fire fighting measures that suit the environment.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 5 (replaces version 4) Revision: 13.01.2023

Trade name: Turbo PU Repair L.E. Part A

(Contd. of page 2)

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
· **5.3 Advice for firefighters**
· **Protective equipment:** Put on breathing apparatus.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
· **6.2 Environmental precautions:** Dilute with much water.
· **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.
· **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
· **Information about protection against explosions and fires:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage**
· **Requirements to be met by storerooms and containers:** No special requirements.
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:** Keep container tightly sealed.
· **Storage class** 12
· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Components with limit values that require monitoring at the workplace:**	
14807-96-6 Talc (Mg3H2(SiO3)4)	
WEL	Long-term value: 1 mg/m³

· **Regulatory information** WEL: EH40/2020

· **DNELs**		
28182-81-2 Aliphatic polyisocyanate		
Inhalative	Acute local effect	1 mg/m3 (Worker)
	Long term local effect	0.5 mg/m3 (Worker)
112945-52-5 Silica Amorphous		
Inhalative	Long term local effect	4 mg/m3 (Worker)

· **PNECs**	
28182-81-2 Aliphatic polyisocyanate	
PNEC	0.127 mg/l (Aqua (freshwater))
	1.27 mg/l (Aqua (intermittent))
	0.0127 mg/l (Aqua (marine water))
	266,700 mg/kg (Freshwater sediment)
	26,670 mg/kg (Marine water sediment)
	38.3 mg/l (Sewage treatment plant)
	53,182 mg/kg (Soil)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**
· **Appropriate engineering controls** No further data; see item 7.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.01.2023 | Version number 5 (replaces version 4) | Revision: 13.01.2023

Trade name: **Turbo PU Repair L.E. Part A**

(Contd. of page 3)

· **Individual protection measures, such as personal protective equipment**
· **General protective and hygienic measures**
Keep away from foodstuffs, beverages and food.
Take off immediately all contaminated clothing
Wash hands during breaks and at the end of the work.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
· **Breathing equipment:** Filter A2 / P3 (EN 14387)
· **Hand protection**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye/face protection**

Safety glasses (EN 166)

Tightly sealed safety glasses. (EN 166)

*

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· **General Information**	
· **Physical state**	Fluid
· **Colour:**	White
· **Odour:**	Light
· **Odour threshold:**	Not determined.
· **Melting point/freezing point:**	Not determined
· **Boiling point or initial boiling point and boiling range**	Not determined
· **Flammability**	Not applicable.
· **Lower and upper explosion limit**	
· **Lower:**	Not determined.
· **Upper:**	Not determined.
· **Flash point:**	Not applicable
· **Decomposition temperature:**	Not determined.
· **pH**	Mixture is non-soluble (in water).
· **Viscosity:**	
· **Kinematic viscosity**	Not determined.
· **dynamic:**	Not determined.
· **Solubility**	
· **Water:**	Fully miscible
· **Partition coefficient n-octanol/water (log value)**	Not determined.
· **Vapour pressure:**	Not determined.
· **Density and/or relative density**	
· **Density**	Not determined
· **Relative density**	Not determined.
· **Vapour density**	Not determined.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.01.2023 | Version number 5 (replaces version 4) | Revision: 13.01.2023

Trade name: Turbo PU Repair L.E. Part A

(Contd. of page 4)

· **9.2 Other information**

· **Appearance:**	
· **Form:**	Fluid
· **Important information on protection of health and environment, and on safety.**	
· **Self-inflammability:**	Product is not selfigniting.
· **Explosive properties:**	Product is not explosive.
· **Solvent content:**	
· **Solids content:**	24.0 %
· **Change in condition**	
· **Evaporation rate**	Not determined.

· **Information with regard to physical hazard classes**	
· **Explosives**	Void
· **Flammable gases**	Void
· **Aerosols**	Void
· **Oxidising gases**	Void
· **Gases under pressure**	Void
· **Flammable liquids**	Void
· **Flammable solids**	Void
· **Self-reactive substances and mixtures**	Void
· **Pyrophoric liquids**	Void
· **Pyrophoric solids**	Void
· **Self-heating substances and mixtures**	Void
· **Substances and mixtures, which emit flammable gases in contact with water**	Void
· **Oxidising liquids**	Void
· **Oxidising solids**	Void
· **Organic peroxides**	Void
· **Corrosive to metals**	Void
· **Desensitised explosives**	Void

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.
· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
· **10.3 Possibility of hazardous reactions** No dangerous reactions known
· **10.4 Conditions to avoid** No further relevant information available.
· **10.5 Incompatible materials:** No further relevant information available.
· **10.6 Hazardous decomposition products:** No dangerous decomposition products known

*

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
· **Acute toxicity** Harmful if inhaled.

· **LD/LC50 values that are relevant for classification:**

28182-81-2 Aliphatic polyisocyanate		
Oral	LD50	>2,500 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)
112945-52-5 Silica Amorphous		
Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	>5,000 mg/kg (Rat)

· **Serious eye damage/irritation** Causes serious eye irritation.
· **Respiratory or skin sensitisation** May cause an allergic skin reaction.
· **STOT-single exposure** May cause respiratory irritation.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 5 (replaces version 4) Revision: 13.01.2023

Trade name: Turbo PU Repair L.E. Part A

(Contd. of page 5)

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**
None of the ingredients is listed.

*

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**	
28182-81-2 Aliphatic polyisocyanate	
EC10	>100 /48 hr (Daphnia magna) (OECD 202)
EC50 (72 hr)	3,828 mg/l (Activated sludge) (OECD 209)
LC50 (96 hr)	>100 mg/l (Brachydanio rerio)
112945-52-5 Silica Amorphous	
EC50 (24 hr)	>10,000 mg/l (Daphnia magna)
EL50 (72 hr)	>10,000 mg/l (Algae)
LC50 (96 hr)	>10,000 mg/l (Brachydanio rerio)

· **12.2 Persistence and degradability** No further relevant information available.
· **12.3 Bioaccumulative potential** No further relevant information available.
· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleaning agent:** Water, if necessary with cleaning agent.

*

SECTION 14: Transport information

· **14.1 UN number or ID number**	
· **ADR, IMDG, IATA**	Void
· **14.2 UN proper shipping name**	
· **ADR, IMDG, IATA**	Void
· **14.3 Transport hazard class(es)**	
· **ADR, ADN, IMDG, IATA**	
· **Class**	Void
· **14.4 Packing group**	
· **ADR, IMDG, IATA**	Void
· **14.5 Environmental hazards:**	Not applicable.
· **14.6 Special precautions for user**	Not applicable.
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.01.2023 | Version number 5 (replaces version 4) | Revision: 13.01.2023

Trade name: **Turbo PU Repair L.E. Part A**

(Contd. of page 6)

· **Transport/Additional information:**	Not dangerous according to the above specifications.
· **UN "Model Regulation":**	Void

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **National regulations**

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.

· **Department issuing data specification sheet:** Environment protection department

· **Abbreviations and acronyms:**
ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **Data compared to the previous version altered.** *

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 | Version number 12 (replaces version 11) | Revision: 13.01.2023

*

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** **Turbo PU Repair L.E. Part B**

· **Article number:** 86703B

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

FOR PROFESSIONAL AND INDUSTRIAL USE ONLY

· **Application of the substance / the mixture** Activator

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

KENT (United Kingdom) Ltd
Forsyth House
Pitreavie Drive
Pitreavie Business Park
Dunfermline
Fife
KY11 8US

Tel: +44 01383 723344 / 0800 136925 Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm
Fax: +44 1383 620079
SDS@kenteurope.com

· **1.4 Emergency telephone number:**

Tel: +44 01383 723344 During normal office hours - Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

*

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Eye Irrit. 2 H319 Causes serious eye irritation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**

GHS07

· **Signal word** Warning

· **Hazard statements**

H319 Causes serious eye irritation.

· **Precautionary statements**

P280	Wear protective gloves / eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

· **Labelling of packages where the contents do not exceed 125 ml**

· **Hazard pictograms**

GHS07

· **Signal word** Warning

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 12 (replaces version 11) Revision: 13.01.2023

Trade name: Turbo PU Repair L.E. Part B

(Contd. of page 1)

· **Hazard statements** Void
· **2.3 Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

*
SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of the substances listed below with harmless additions.

· **Dangerous components:**

CAS: 102-60-3 EINECS: 203-041-4 Reg.nr.: 01-2119552434-41	1,1',1",1'''-ethylenedinitrilotetrapropan-2-ol	Eye Irrit. 2, H319	10-25%
CAS: 14807-96-6 EINECS: 238-877-9 Reg.nr.: 01-2120140278-58	Talc (Mg3H2(SiO3)4)	substance with a Community workplace exposure limit	5-15%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

*
SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **After inhalation** Supply fresh air; consult doctor in case of symptoms.
· **After skin contact** If skin irritation continues, consult a doctor.
· **After eye contact** Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
· **After swallowing** Rinse out mouth.
· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

*
SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
· **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
Carbon monoxide and carbon dioxide
· **5.3 Advice for firefighters**
· **Protective equipment:**
Do not inhale explosion gases or combustion gases.
Wear full protective suit.
· **Additional information**
Cool endangered containers with water spray jet.
Collect contaminated fire fighting water separately. It must not enter drains.

*
SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
· **6.2 Environmental precautions:** Dilute with much water.
· **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
· **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 12 (replaces version 11) Revision: 13.01.2023

Trade name: Turbo PU Repair L.E. Part B

(Contd. of page 2)

*
SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Avoid contact with the eyes and skin.
· **Information about protection against explosions and fires:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage**
· **Requirements to be met by storerooms and containers:** Store in cool location.
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:** Store in cool, dry conditions in well sealed containers.
· **Storage class** 12
· **7.3 Specific end use(s)** No further relevant information available.

*
SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Components with limit values that require monitoring at the workplace:**	
14807-96-6 Talc (Mg3H2(SiO3)4)	
WEL	Long-term value: 1 mg/m³

· **Regulatory information** WEL: EH40/2020

· **DNELs**		
112945-52-5 Silica Amorphous		
Inhalative	Long term local effect	4 mg/m3 (Worker)
1333-86-4 Carbon black		
Inhalative	Long term systemic effect	2 mg/m³ (Worker)
	Long term local effect	2 mg/m³ (Worker)
1318-02-1 zeolites		
Dermal	Long term systemic effect	2.5 mg/kg/body wt/day (Worker)
Inhalative	Long term local effect	3 mg/m3 (Worker)

· **PNECs**	
102-60-3 1,1',1",1'"-ethylenedinitrilotetrapropan-2-ol	
PNEC	0.085 mg/l (Aqua (freshwater))
	1.51 mg/l (Aqua (intermittent))
	0.0085 mg/l (Aqua (marine water))
	0.193 mg/kg (Freshwater sediment)
	0.0193 mg/kg (Marine water sediment)
	70 mg/l (Sewage treatment plant)
1318-02-1 zeolites	
PNEC	3.2 mg/l (Aqua (freshwater))
	0.32 mg/l (Aqua (marine water))
	95 mg/kg (Sewage treatment plant)
	600 mg/kg dry weight (Soil)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**
· **Appropriate engineering controls** No further data; see item 7.
· **Individual protection measures, such as personal protective equipment**
· **General protective and hygienic measures**
Keep away from foodstuffs, beverages and food.
Take off immediately all contaminated clothing
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
· **Breathing equipment:** Not necessary if room is well-ventilated.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.01.2023 | Version number 12 (replaces version 11) | Revision: 13.01.2023

Trade name: Turbo PU Repair L.E. Part B

(Contd. of page 3)

· **Hand protection**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**
Wear suitable gloves tested to EN 374
Nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.5 mm
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**
Value for the permeation: Level 6 > 480 minutes
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**

Safety glasses (EN 166)

Tightly sealed safety glasses. (EN 166)

*

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· **General Information**	
· **Physical state**	Fluid
· **Colour:**	White
· **Odour:**	Light
· **Odour threshold:**	Not determined.
· **Melting point/freezing point:**	Not determined
· **Boiling point or initial boiling point and boiling range**	Not determined
· **Flammability**	Not applicable.
· **Lower and upper explosion limit**	
· **Lower:**	Not determined.
· **Upper:**	Not determined.
· **Flash point:**	Not applicable
· **Decomposition temperature:**	Not determined.
· **pH**	Mixture is non-soluble (in water).
· **Viscosity:**	
· **Kinematic viscosity**	Not determined.
· **dynamic:**	60 Pas
· **Solubility**	
· **Water:**	Fully miscible
· **Partition coefficient n-octanol/water (log value)**	Not determined.
· **Vapour pressure:**	Not determined.
· **Density and/or relative density**	
· **Density**	Not determined
· **Relative density at 20 °C**	1.29
· **Vapour density**	Not determined.

· 9.2 Other information

· **Appearance:**	
· **Form:**	Fluid
· **Important information on protection of health and environment, and on safety.**	
· **Self-inflammability:**	Product is not selfigniting.
· **Explosive properties:**	Product is not explosive.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 12 (replaces version 11) Revision: 13.01.2023

Trade name: Turbo PU Repair L.E. Part B

(Contd. of page 4)

· **Change in condition**	
· **Evaporation rate**	Not determined.
· **Information with regard to physical hazard classes**	
· **Explosives**	Void
· **Flammable gases**	Void
· **Aerosols**	Void
· **Oxidising gases**	Void
· **Gases under pressure**	Void
· **Flammable liquids**	Void
· **Flammable solids**	Void
· **Self-reactive substances and mixtures**	Void
· **Pyrophoric liquids**	Void
· **Pyrophoric solids**	Void
· **Self-heating substances and mixtures**	Void
· **Substances and mixtures, which emit flammable gases in contact with water**	Void
· **Oxidising liquids**	Void
· **Oxidising solids**	Void
· **Organic peroxides**	Void
· **Corrosive to metals**	Void
· **Desensitised explosives**	Void

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.
· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
· **10.3 Possibility of hazardous reactions** No dangerous reactions known
· **10.4 Conditions to avoid** No further relevant information available.
· **10.5 Incompatible materials:**
Strong acids and oxidizing agents
Strong alkalis
· **10.6 Hazardous decomposition products:** No dangerous decomposition products known

*

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**		
102-60-3 1,1',1",1'"-ethylenedinitrilotetrapropan-2-ol		
	EC20	1,000 /30 min (Activated sludge) (OECD 209)
112945-52-5 Silica Amorphous		
Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	>5,000 mg/kg (Rat)
1333-86-4 Carbon black		
Oral	LD50	10,000 mg/kg (Rat)

· **Serious eye damage/irritation** Causes serious eye irritation.
· **11.2 Information on other hazards**

· **Endocrine disrupting properties**
None of the ingredients is listed.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 12 (replaces version 11) Revision: 13.01.2023

Trade name: Turbo PU Repair L.E. Part B

(Contd. of page 5)

*
SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**	
102-60-3 1,1',1",1'"-ethylenedinitrilotetrapropan-2-ol	
EC50 (48 hr)	>100 mg/l (Daphnia magna) (EC 92/69)
EC50 (72 hr)	>100 mg/l (Desmodesmus subspicatus) (84/449EEC C.3)
LC50 (48 hr)	>100 mg/l (Leuciscus Idus) (DIN 34812 T.15)
NOEC (21 days)	>10 mg/l (Daphnia magna) (OECD 211)
112945-52-5 Silica Amorphous	
EC50 (24 hr)	>10,000 mg/l (Daphnia magna)
EL50 (72 hr)	>10,000 mg/l (Algae)
LC50 (96 hr)	>10,000 mg/l (Brachydanio rerio)
1333-86-4 Carbon black	
EC50 (24 hr)	>5,600 mg/l (Daphnia magna) (OECD 202)
LC50 (96 hr)	>1,000 mg/l (Brachydanio rerio) (OECD 203)

· **12.2 Persistence and degradability** No further relevant information available.
· **12.3 Bioaccumulative potential** No further relevant information available.
· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

*
SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleaning agent:** Water, if necessary with cleaning agent.

*
SECTION 14: Transport information

· **14.1 UN number or ID number**	
· **ADR, IMDG, IATA**	Void
· **14.2 UN proper shipping name**	
· **ADR, IMDG, IATA**	Void
· **14.3 Transport hazard class(es)**	
· **ADR, ADN, IMDG, IATA**	
· **Class**	Void
· **14.4 Packing group**	
· **ADR, IMDG, IATA**	Void
· **14.5 Environmental hazards:**	Not applicable.
· **14.6 Special precautions for user**	Not applicable.
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version number 12 (replaces version 11) Revision: 13.01.2023

Trade name: **Turbo PU Repair L.E. Part B**

(Contd. of page 6)

· **Transport/Additional information:**	Not dangerous according to the above specifications.
· **UN "Model Regulation":**	Void

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **National regulations**

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H319 Causes serious eye irritation.

· **Department issuing data specification sheet:** Environment protection department

· **Abbreviations and acronyms:**

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

· **Data compared to the previous version altered.** *