

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 4 (replaces version 3)

Revision: 13.01.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: **Super Bond**

Article number: 86922

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

FOR PROFESSIONAL AND INDUSTRIAL USE ONLY

Application of the substance / the mixture Adhesive

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

KENT (United Kingdom) Ltd

Forsyth House

Pitreavie Drive

Pitreavie Business Park

Dunfermline

Fife

KY11 8US

Tel: +44 01383 723344 / 0800 136925 Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

Fax: +44 1383 620079

SDS@kenteurope.com

#### 1.4 Emergency telephone number:

Tel: +44 01383 723344 During normal office hours - Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

##### Hazard pictograms



GHS07

Signal word Warning

##### Hazard-determining components of labelling:

Ethyl cyanoacrylate

##### Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

##### Additional information:

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

(Contd. on page 2)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 4 (replaces version 3)

Revision: 13.01.2023

**Trade name: Super Bond**

(Contd. of page 1)

- **Labelling of packages where the contents do not exceed 125 ml**
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:**  
Ethyl cyanoacrylate
- **Hazard statements** Void
- **Precautionary statements**  
P261 Avoid breathing vapours.  
P280 Wear protective gloves / eye protection.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

- **Description:** Mixture of the substances listed below with harmless additions.

#### Dangerous components:

CAS: 7085-85-0 EINECS: 230-391-5 Reg.nr.: 01-2119527766-29	Ethyl cyanoacrylate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335, EUH202 Specific concentration limit: STOT SE 3; H335: C ≥ 10 %	75-100%
CAS: 123-31-9 EINECS: 204-617-8 Reg.nr.: 01-2119524016-51	1,4-dihydroxybenzene ⚠ Muta. 2, H341; Carc. 2, H351; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=10); ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317	<0.1%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- **After inhalation** In case of unconsciousness bring patient into stable side position for transport.
- **After skin contact**  
Do not pull solidified product away from the skin.  
If skin irritation continues, consult a doctor.
- **After eye contact** Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- **After swallowing** Rinse out mouth.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- **Suitable extinguishing agents** CO<sub>2</sub>, extinguishing powder or water haze. Fight larger fires with water haze or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

- Nitrogen oxides (NO<sub>x</sub>)  
Formation of poisonous gases during heating or in fires.

#### 5.3 Advice for firefighters

- **Protective equipment:**  
Do not inhale explosion gases or combustion gases.  
Wear self-contained breathing apparatus.  
Wear full protective suit.

(Contd. on page 3)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 4 (replaces version 3)

Revision: 13.01.2023

**Trade name: Super Bond**

(Contd. of page 2)

- Put on breathing apparatus.  
 · **Additional information** Cool endangered containers with water spray jet.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
 Ensure adequate ventilation  
 Put on breathing apparatus.
- **6.2 Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
 Dilute with much water.  
 Allow to solidify. Collect mechanically.  
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
 Dispose of contaminated material as waste according to item 13.  
 Ensure adequate ventilation.
- **6.4 Reference to other sections**  
 See Section 7 for information on safe handling  
 See Section 8 for information on personal protection equipment.  
 See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
 Avoid contact with the eyes and skin.  
 Ensure good ventilation/exhaustion at the workplace.  
 Open and handle container with care.  
 Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep breathing equipment ready.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
 Store container in a well ventilated position.  
 Keep container tightly sealed.
- **Storage class 10**
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Components with limit values that require monitoring at the workplace:

7085-85-0 Ethyl cyanoacrylate

WEL Short-term value: 1.5 mg/m<sup>3</sup>, 0.3 ppm

##### Regulatory information WEL: EH40/2020

##### DNELs

123-31-9 1,4-dihydroxybenzene

Dermal Long term systemic effect 3.33 mg/kg bw/day (Worker)

Inhalative Long term systemic effect 2.1 mg/m<sup>3</sup> (Worker)

##### PNECs

123-31-9 1,4-dihydroxybenzene

PNEC 0.57 µg/l (Aqua (freshwater))

1.34 µg/l (Aqua (intermittent))

0.057 µg/l (Aqua (marine water))

0.00049 mg/kg (Marine water sediment)

0.71 mg/l (Sewage treatment plant)

- **Additional information:** The lists that were valid during the compilation were used as basis.

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 4 (replaces version 3)

Revision: 13.01.2023

**Trade name: Super Bond**

(Contd. of page 3)

**8.2 Exposure controls**

- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures**  
Keep away from foodstuffs, beverages and food.  
Take off immediately all contaminated clothing  
Wash hands during breaks and at the end of the work.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Hand protection**  
Gloves must conform to standard EN 374.



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

Value for the permeation: Level 6 &gt; 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection**

Safety glasses (EN 166)

Tightly sealed safety glasses. (EN 166)

- **Body protection:** Protective work clothing (EN-13034/6)

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information**

- |   |                                 |
|---|---------------------------------|
| · <b>Physical state</b>   | Fluid                           |
| · <b>Colour:</b>  | Colourless                      |
| · <b>Odour:</b>   | Irritant                        |
| · <b>Odour threshold:</b>   | Not determined.                 |
| · <b>Melting point/freezing point:</b>                            | Not determined                  |
| · <b>Boiling point or initial boiling point and boiling range</b> | 148 °C                          |
| · <b>Flammability</b>   | Not applicable.                 |
| · <b>Lower and upper explosion limit</b>                          |                                 |
| · <b>Lower:</b>   | Not determined.                 |
| · <b>Upper:</b>   | Not determined.                 |
| · <b>Flash point:</b>   | 94 °C                           |
| · <b>Decomposition temperature:</b>                               | Not determined.                 |
| · <b>pH</b>   | Mixture is non-polar/aprotic.   |
| · <b>Viscosity:</b>   |                                 |
| · <b>Kinematic viscosity</b>                                      | Not determined.                 |
| · <b>dynamic:</b>   | Not determined.                 |
| · <b>Solubility</b>   |                                 |
| · <b>Water:</b>   | Not miscible / difficult to mix |
| · <b>Partition coefficient n-octanol/water (log value)</b>        | Not determined.                 |
| · <b>Vapour pressure:</b>   | Not determined.                 |

(Contd. on page 5)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 4 (replaces version 3)

Revision: 13.01.2023

**Trade name: Super Bond**

(Contd. of page 4)

· <b>Density and/or relative density</b>	
· <b>Density</b>	Not determined
· <b>Relative density at 20 °C</b>	1.08 g/ml
· <b>Vapour density</b>	Not determined.
· <b>9.2 Other information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Self-inflammability:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product is not explosive.
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not determined.
· <b>Information with regard to physical hazard classes</b>	
· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** To avoid thermal decomposition do not overheat.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** Heat. Hot surfaces. Sources of ignition. Flames.
- **10.5 Incompatible materials:**  
Alcohols, amines  
Alkalis  
Water / humidity
- **10.6 Hazardous decomposition products:** Formation of toxic gases is possible during heating or in case of fire.

## SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
  - **Acute toxicity** Based on available data, the classification criteria are not met.
  - **LD/LC50 values that are relevant for classification:**
- |                               |      |                                  |
|-------------------------------|------|----------------------------------|
| 7085-85-0 Ethyl cyanoacrylate |      |                                  |
| Oral                          | LD50 | >5,000 mg/kg (Rat) (OECD 401)    |
| Dermal                        | LD50 | >2,000 mg/kg (Rabbit) (OECD 402) |
- **Skin corrosion/irritation** Causes skin irritation.
  - **Serious eye damage/irritation** Causes serious eye irritation.
  - **STOT-single exposure** May cause respiratory irritation.

(Contd. on page 6)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 4 (replaces version 3)

Revision: 13.01.2023

**Trade name: Super Bond**

(Contd. of page 5)

**11.2 Information on other hazards****Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:****123-31-9 1,4-dihydroxybenzene**

EC50	13.5 mg/l (Desmodesmus subspicatus)
EC50 (48 hr)	0.29 mg/l (Daphnia magna)
	58 mg/l (Pseudomonas Putida)
EC50 (72 hr)	0.335 mg/l (Pseudokirchneriella subcapitata)
LC50 (96 hr)	0.097 mg/l (Fish)
	0.444 mg/l (Oncorhynchus mykiss)

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects****Additional ecological information:****General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

**Recommendation** Disposal must be made according to official regulations.

**Uncleaned packagings:**

**Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information****14.1 UN number or ID number**

**ADR, IMDG, IATA** Void

**14.2 UN proper shipping name**

**ADR, IMDG, IATA** Void

**14.3 Transport hazard class(es)**

**ADR, ADN, IMDG, IATA**

**Class** Void

**14.4 Packing group**

**ADR, IMDG, IATA** Void

**14.5 Environmental hazards:**

**Marine pollutant:** No

**14.6 Special precautions for user**

Not applicable.

**14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

**Transport/Additional information:**

Not dangerous according to the above specifications.

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 4 (replaces version 3)

Revision: 13.01.2023

Trade name: Super Bond

(Contd. of page 6)

· UN "Model Regulation":

Void

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations**
- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H400 Very toxic to aquatic life.
- EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

· **Department issuing data specification sheet:** Environment protection department

#### · Abbreviations and acronyms:

- RID: (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- ICAO: International Civil Aviation Organisation
- ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (UK REACH)
- PNEC: Predicted No-Effect Concentration (UK REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Acute Tox. 4: Acute toxicity – Category 4
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Skin Sens. 1: Skin sensitisation – Category 1
- Muta. 2: Germ cell mutagenicity – Category 2
- Carc. 2: Carcinogenicity – Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

· **Data compared to the previous version altered.** \*