

Page 1/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 4 (replaces version 3)

Revision: 19.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: Superbond Pen
- · Article number: 86923
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** FOR PROFESSIONAL AND INDUSTRIAL USE ONLY
- · Application of the substance / the mixture Adhesive
- 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: KENT (United Kingdom) Ltd Forsyth House Pitreavie Drive Pitreavie Business Park Dunfermline Fife KY11 8US

Tel: +44 01383 723344 / 0800 136925 Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm Fax: +44 1383 620079 SDS@kenteurope.com

1.4 Emergency telephone number:

Tel: +44 01383 723344 During normal office hours - Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2H315 Causes skin irritation.Eye Irrit. 2H319 Causes serious eye irritation.STOT SE 3H335 May cause respiratory irritation.

[•] 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. • Hazard pictograms



· Signal word Warning

Hazard-determining components of labelling: Ethyl cyanoacrylate
Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.
Additional information: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 4 (replaces version 3)

Revision: 19.01.2023

Trade name: Superbond Pen

| Labelling of Hazard picto | packages where the contents do not exceed 125 ml grams | (Contd. of page 1) |
|------------------------------|---|--------------------|
| \wedge | | |
| | | |
| GHS07 | | |
| Signal word | Warning | |
| Hazard-deter | mining components of labelling: | |
| Ethyl cyanoacr | /late | |
| Hazard state | ments Void | |
| Precautional | y statements | |
| P261 | Avoid breathing vapours. | |
| P280 | Wear protective gloves / eye protection. | |
| P305+P351+P3 | 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present Continue rinsing. | and easy to do. |
| P403+P235 | | |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations | |
| 2.3 Other ha | azards | |
| Results of Pl | 3T and vPvB assessment | |
| | icable. | |
| PBT: Not appl | | |

SECTION 3: Composition/information on ingredients

[•] 3.2 Mixtures

· Description: Mixture of the substances listed below with harmless additions.

| · Dangerous components: | | |
|---------------------------|---|---------|
| | Ethyl cyanoacrylate | 75-100% |
| EINECS: 230-391-5 | § Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335, EUH202 | |
| Reg.nr.: 01-2119527766-29 | Specific concentration limit: STOT SE 3; H335: C ≥ 10 % | |
| CAS: 123-31-9 | 1,4-dihydroxybenzene | <0.1% |
| EINECS: 204-617-8 | 🗞 Muta. 2, H341; Carc. 2, H351; 🔶 Eye Dam. 1, H318; 📎 Aquatic Acute 1, H400 (M=10); | |
| Reg.nr.: 01-2119524016-51 | 1 Acute Tox. 4, H302; Skin Sens. 1, H317 | |
| · Additional information | For the wording of the listed hazard phrases refer to section 16. | |

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· After inhalation Supply fresh air; consult doctor in case of symptoms.

After skin contact

Do not pull solidified product away from the skin.

Instantly wash with water and soap and rinse thoroughly.

- If skin irritation continues, consult a doctor.
- · After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- After swallowing
- Rinse out mouth.

Instantly call for doctor.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents CO2, extinguishing powder or water haze. Fight larger fires with water haze or alcohol-resistant foam.
 5.2 Special hazards arising from the substance or mixture Nitrogen oxides (NOx)

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 4 (replaces version 3)

Revision: 19.01.2023

(Contd. of page 2)

Trade name: Superbond Pen

5.3 Advice for firefighters

Protective equipment: Do not inhale explosion gases or combustion gases. Wear self-contained breathing apparatus. Wear full protective suit. Additional information Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Dilute with much water.

Allow to solidify. Collect mechanically. Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with the eyes and skin. Ensure good ventilation/exhaustion at the workplace. Open and handle container with care. Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep breathing equipment ready.

7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- * Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Store container in a well ventilated position.
- Store in cool, dry conditions in well sealed containers.
- 2-8°C
- Storage class 10
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

[•] 8.1 Control parameters

Components with limit values that require monitoring at the workplace:

7085-85-0 Ethyl cyanoacrylate

WEL Short-term value: 1.5 mg/m³, 0.3 ppm

Regulatory information WEL: EH40/2020

DNELs

123-31-9 1,4-dihydroxybenzene

Dermal Long term systemic effect 3.33 mg/kg bw/day (Worker)

Inhalative Long term systemic effect 2.1 mg/m3 (Worker)

PNECs

123-31-9 1,4-dihydroxybenzene

PNEC 0.57 µg/l (Aqua (freshwater))

1.34 μg/l (Aqua (intermittent))

0.057 µg/l (Aqua (marine water))

0.00049 mg/kg (Marine water sediment)

0.71 mg/l (Sewage treatment plant)

• Additional information: The lists that were valid during the compilation were used as basis.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 4 (replaces version 3)

Revision: 19.01.2023

| Trade name: Superbond Pen | |
|---|---|
| | (Contd. of page 3) |
| 8.2 Exposure controls | |
| Appropriate engineering controls No further data; see item Individual protection measures, such as personal prot | |
| General protective and hygienic measures | ecuve equipment |
| Keep away from foodstuffs, beverages and food. | |
| Take off immediately all contaminated clothing Wash hands during breaks and at the end of the work. | |
| Do not inhale gases / fumes / aerosols. | |
| Avoid contact with the eyes and skin. | 4 |
| Breathing equipment: Not necessary if room is well-ventilated Hand protection | nic measures ges and fool. eed clothing he end of the work. iois. in. essaary if room is well-ventilated. IN 374. meable and resistant to the product/ the substance/ the preparation. onsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality and varies from manufacturer a preparation of several substances, the resistance of the glove material can not be calculated in ekeral 480 minutes b o be found out by the manufacturer of the protective gloves and has to be observed. lasses. (EN 166) k clothing (EN-13034/6) minical properties hysical and chemical properties Fluid Colourless Irritant |
| | |
| Protective gloves. | |
| Gloves must conform to standard EN 374. | |
| | |
| · Material of gloves | limes, rales of diffusion and the degradation |
| Nitrile rubber, NBR | |
| | |
| advance and has therefore to be checked prior to the application. | nces, the resistance of the give material can not be calculated in |
| Penetration time of glove material | |
| Value for the permeation: Level 6 > 480 minutes The exact break through time has to be found out by the manufac | turer of the protective gloves and has to be observed |
| · Eye/face protection | |
| | |
| Tightly sealed safety glasses. (EN 166) | |
| | |
| • Body protection: Protective work clothing (EN-13034/6) | |
| SECTION 9: Physical and chemical properties | |
| | |
| 9.1 Information on basic physical and chemical pl | roperties |
| · General Information · Physical state | Fluid |
| · Colour: | |
| Odour: | Irritant |
| Odour threshold: | Not determined. |
| Melting point/freezing point: Boiling point or initial boiling point and boiling range | Not determined 68-70 °C |
| · Flammability | Not applicable. |
| · Lower and upper explosion limit | |
| Lower: | Not determined. |
| · Upper: · Flash point: | Not determined. 80 °C |
| Decomposition temperature: | Not determined. |
| · pH | Mixture is non-polar/aprotic. |
| Viscosity: | |
| Kinematic viscosity | Not determined. |
| · dynamic at 25 °C: · Solubility | 60-100 mPas |
| · Water: | Not miscible / difficult to mix |
| Partition coefficient n-octanol/water (log value) | Not determined. |
| Vapour pressure: | Not determined. |
| Density and/or relative density | 1.00 =/c==3 |
| · Density at 20 °C · Relative density | 1.08 g/cm ³ Not determined |
| Nelauve delisity | Not determined. |

(Contd. on page 5) GB

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 4 (replaces version 3)

Revision: 19.01.2023

Trade name: Superbond Pen

| | (Contd. of | f page |
|--|------------------------------|--------|
| Vapour density | Not determined. | |
| 9.2 Other information | | |
| Appearance: | | |
| Form: | Fluid | |
| Important information on protection of health a environment, and on safety. | Ind | |
| Self-inflammability: | Product is not selfigniting. | |
| Explosive properties: | Product is not explosive. | |
| Change in condition | | |
| Evaporation rate | Not determined. | |
| Information with regard to physical hazard clas | | |
| Explosives | Void | |
| Flammable gases | Void | |
| Aerosols | Void | |
| Oxidising gases | Void | |
| Gases under pressure | Void | |
| Flammable liquids | Void | |
| Flammable solids | Void | |
| Self-reactive substances and mixtures | Void | |
| Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| Substances and mixtures, which emit flammable | le gases | |
| in contact with water | Void | |
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| Organic peroxides | Void | |
| Corrosive to metals | Void | |
| Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

. 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.

* 10.3 Possibility of hazardous reactions No dangerous reactions known

* 10.4 Conditions to avoid Heat. Hot surfaces. Sources of ignition. Flames.

10.5 Incompatible materials:

Alcohols, amines

Alkalis

Water / humidity

[•] **10.6 Hazardous decomposition products:** Formation of toxic gases is possible during heating or in case of fire.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

7085-85-0 Ethyl cyanoacrylate

Oral LD50 >5,000 mg/kg (Rat) (OECD 401)

Dermal LD50 >2,000 mg/kg (Rabbit) (OECD 402)

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

• STOT-single exposure May cause respiratory irritation.

(Contd. on page 6)

GB

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 4 (replaces version 3)

Revision: 19.01.2023

(Contd. of page 5)

Trade name: Superbond Pen

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

[·] 12.1 Toxicity

Aquatic toxicity:

123-31-9 1,4-dihydroxybenzene

| , | , , , |
|--------------|--|
| EC50 | 13.5 mg/l (Desmodesmus subspicatus) |
| EC50 (48 hr) | 0.29 mg/l (Daphnia magna) |
| | 58 mg/l (Pseudomonas Putida) 0.335 mg/l (Pseudokirchneriella subcapitata) |
| EC50 (72 hr) | 0.335 mg/l (Pseudokirchneriella subcapitata) |
| LC50 (96 hr) | 0.097 mg/l (Fish) |
| | |

0.444 mg/l (Oncorhynchus mykiss)

• **12.2 Persistence and degradability** No further relevant information available.

- * 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- * 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

· Recommendation Disposal must be made according to official regulations.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

| 14.1 UN number or ID number ADR, IMDG, IATA | Void | |
|---|--|--|
| 14.2 UN proper shipping name ADR, IMDG, IATA | Void | |
| 14.3 Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA Class | Void | |
| 14.4 Packing group ADR, IMDG, IATA | Void | |
| 14.5 Environmental hazards: Marine pollutant: | No | |
| 14.6 Special precautions for user | Not applicable. | |
| 14.7 Maritime transport in bulk according instruments | to IMO Not applicable. | |
| Transport/Additional information: | Not dangerous according to the above specifications. | |

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version number 4 (replaces version 3)

Revision: 19.01.2023

(Contd. of page 6)

Trade name: Superbond Pen

• UN "Model Regulation":

Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

* 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

Harmful if swallowed. H302

H315 Causes skin irritation

May cause an allergic skin reaction. H317

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

· Department issuing data specification sheet: Environment protection department

Abbreviations and acronyms:

RID: (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDD: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

Muta. 2: Germ cell mutagenicity – Category 2 Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Data compared to the previous version altered. *

GB